

Overflow tests Belgian levees Annexes



Foto: Vilda-Yves Adams



Adaptation
to climate
change

Overflow tests on Belgian levees Annexes

Version:

0.2 - 20221215

Authors:

Depreiter, D., Vercruyse, J., Verelst, K., Zomer, W., Koelewijn, A., Tsimopoulou, V., Peeters, P.

Table of contents

INTERREG Polder2C's project	4
Flood Defence	4
Emergency Response	4
Knowledge Infrastructure	4
Field Station	4
1 Introduction	1
2 Other reports (references)	1
Annex A - B-OF01 Reference	2
Annex B - B-OF02 Short vegetation	22
Annex C - B-OF03 High Discharge	45
Annex D - B-OF04 Tree	56
Annex E - B-OF05 Slope anomaly (cliff)	60
Annex F - B-OF06 Erosion patches	78
Annex G - B-OF07 Levee Challenge	98
Annex H - B-OF08 Reference	111
Annex I - B-OF09 Reference (high discharge)	123
Annex J - B-OF10 High Discharge	135
Annex K - B-OF11 Tree	144

INTERREG Polder2C's project

The INTERREG Polder2C's is an international research project within the framework of the updated Sigraplan for the river Schelde. The Hedwige-Prospelpolder will be transformed into tidal nature. Depoldering of Hedwige-Prospelpolder offers a unique testing ground, the Living Lab Hedwige-Prospelpolder, for flood defence and emergency response experts. In this environment current and innovative techniques, processes, methods and products can be tested for practical validation. Thirteen project partners, led by the Dutch Foundation of Applied Water Research (STOWA) and the Flemish Department of Mobility and Public Works (DMOW, Flanders Hydraulics Research), are working together. Together, they aim to improve the 2 Seas regions' capacity to adapt to the challenges caused by climate change.

Flood Defence

The rising sea level is a serious threat to the countries in 2 Seas region. How strong are our current flood defences? What is the impact of environmental elements such as the weather, the presence of vegetation or man-made objects on our flood defences? To answer these questions numerous destructive field tests are carried out in the Living Lab to validate flood defence practices. The project entails in situ testing, guidance on levee maintenance and validation of flood defence infrastructure.

Emergency Response

We aim to improve emergency response by developing the right tools for inspection of water defences, risk evaluation and solutions for flooding. If our water defences do not operate as designed, we must take the right measures to prevent flooding of valuable areas. The Hedwige-Prospelpolder Living Lab offers unique possibilities to exercise emergency management in the event of calamities under controlled but realistic circumstances. Activities that are part of the programme are levee surveillance and monitoring, emergency response exercises, breach initiation and the large European exercise.

Knowledge Infrastructure

We aim to develop a knowledge infrastructure through which existing and new to be developed knowledge will become available and accessible. A necessary success factor for any initiative to improve knowledge is to have its outcomes integrated in practices of a wider community. Knowledge Infrastructure focuses therefore on the consolidation of knowledge acquired in the Living Lab with a variety of activities. Accessibility of data in a user-friendly manner, educational activities in the field and incorporation of knowledge in educational curricula are considered key elements.

Field Station

How can we make sure that both experts in the field and the local public benefit from our project and the learnings about climate change, flood resilience, emergency response and the unique environment of the Hedwige-Prospelpolder? An important and unique way of reaching this goal is realising a Field Station at the project site. It will be used during and after the project for educational purposes, research and as a special meeting place for exclusive occasions.

1 Introduction

Overflow tests on levees are designed to test the strength of levees and levee covers under the load of a continuously overflowing discharge of water. For this purpose, Flanders Hydraulics Research have designed and built an Overflow Generator (Vercruyse et al., 2022) within the framework of the Polder2C's project. This device allows to generate a controlled and homogenous discharge of water over the levee crest.

Within the Polder2C's project, 27 overflow tests on Belgian and Dutch levee stretches have been executed in 3 episodes from 30/10/20 to 28/11/20, 17/02/21 to 31/03/21 and 16/11/21 to 20/12/21. Different test goals have been addressed, to understand the normal performance of a levee cover, and the influence of different anomalies and/or deviations from the 'standard' levee.

This report bundles the annexes for the data report of the overflow tests executed on the Belgian part of the Hedwige-Propserpolder levees. The information shown herein pertains to the tests indicated by the striped box:

Name	Category
- B-OF01 Reference	Reference
- B-OF02 Short Grass + Artif. Anom	Alternative vegetation + Slope anomaly
- B-OF03 High Discharge	High Discharge
- B-OF04 Tree	Tree
- B-OF05 Erosion cliff	Slope anomaly
- B-OF05B/C Damage repair	Damage repair
- B-OF06 Clay Erosion	Clay Erosion
- B-OF07a,b Levee Challenge	Damage repair
- B-OF08 Reference	Reference
- B-OF09 High Discharge	High Discharge
- B-OF10 High Discharge	High Discharge
- B-OF11 Tree	Tree
- N-OF01 Reference	Reference
- N-OF02 Clay Erosion	Clay Erosion
- N-OF03 Reference	Reference
- N-OF04 Reference	Reference
- N-OF05 Burrow	Burrow
- N-OF05B Damage repair	Damage repair
- N-OF05C RTM	RTM
- N-OF06 RTM	RTM
- N-OF07 RTM	RTM
- N-OF08 Grass sods	RTM
- N-OF09 Burrow protection	Burrow protection
- N-OF10 Reed vegetation	Alternative vegetation
- N-OF11 Reed vegetation	Alternative vegetation

2 Other reports (references)

The reports related to the overflow tests are listed below.

Design, setup and validation of the monitoring data:

- Vercruyse, J., Depreiter, D., Verelst, K., Peeters, P. (2022). Design and application of an Overflow Generator for levee strength testing. WL Rapporten WL2022R20_047_1, Antwerp (Belgium).

Test results (factual data):

- **Depreiter, D., Vercruyse, J., Verelst, K., Lopez Castaño, S., Koelewijn, A., Zomer, W., Tsimopoulou, V., Peeters, P. (2022). Polder2C's Overflow tests on Belgian levees. WL Rapporten WL2022R20_047_2, Antwerp (Belgium). Main document + Annexes. [THIS REPORT]**
- Depreiter, D., Vercruyse, J., Verelst, K., Lopez Castaño, S., Koelewijn, A., Zomer, W., Tsimopoulou, V., Peeters, P. (2022). Polder2C's Overflow tests on Dutch levees. WL Rapporten WL2022R20_047_2, Antwerp (Belgium). Main document + Annexes.

Integration and comparison of results:

- Depreiter, D., Vercruyse, J., Verelst, K., Lopez Castaño, S., Koelewijn, A., Zomer, W., Tsimopoulou, V., Peeters, P. (2022). Polder2C's Overflow and overtopping) test integration report. WL Rapporten WL2022R20_047_4, Antwerp (Belgium). Main document + Annexes.

A more extensive reference list is given in the main report.

Annex A - B-OF01 Reference


The following timeseries details are reproduced in this section:

A.1 B-OF01: Block 0	3
A.2 B-OF01: Block 2	4
A.3 B-OF01: Block 1 (numbering restarted)	5
A.4 B-OF01: Block 2 (LF_24)	6
A.5 B-OF01: Block 3	7
A.6 B-OF01: Block 4	8
A.7 B-OF01: Block 5	9
A.8 B-OF01: Block 6 (wrongly numbered as 5)	10
A.9 B-OF01: Block 7	11
A.10 B-OF01: Block 8	12
A.11 B-OF01: Block 9	13
A.12 B-OF01: Block 10	14
A.13 B-OF01: Block 11	15
A.14 B-OF01: Block 12	16
A.15 B-OF01: Block 13 (wrongly numbered as 12)	17
A.16 B-OF01: Block 14	18
A.17 B-OF01: Block 15	19
A.18 B-OF01: Block 16	20
A.19 B-OF01: Block 17	21

In the original logbook, a block 18 is mentioned, apparently without data recording.


A.1 B-OF01: Block 0

Start - stop	31/10/2020 10:20				
Stop	31/10/2020 11:20				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec				
Notes	<ul style="list-style-type: none"> - No data acquisition on 30/10/20 (LF_12 file id) (40 minutes) - Crest height manually measured at 19.6 cm left, 19.4 cm right. - Current meter installation still in progress. 				
Statistics	Calculated from t=98 to 3473 sec (n=33747).				
series	Min	max	mean	std	Unit
DISCHARGE	0.332	0.373	0.354	0.006	m ³ /s
WH_CREST	0.180	0.193	0.187	0.001	m
WH_UPPER	0.067	0.084	0.074	0.002	m
WH_MOBILE	0.044	0.059	0.049	0.002	m
WH_LOWER	0.068	0.131	0.090	0.007	m
WH_MOBILE	0.03	5.86	1.46	0.93	m
VXY_UPPER	0.01	5.01	2.23	0.75	m/s
VXY_LOWER	1.69	3.08	2.79	0.12	m/s




A.2 B-OF01: Block 2

Start	31/10/20 11:39
Stop	31/10/20 12:40
Duration	61 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s and see §3.3.3 for more information on Q-H relation.
Notes	<ul style="list-style-type: none"> - Discharge variations applied, see §3.3.3. - Manual water level at crest 19.2 cm - Velocity data not reliable.
Statistics	Calculated from 22 to 2308 seconds (n=22866).




A.3 B-OF01: Block 1 (numbering restarted)

Start	2/11/20 8:04				
Stop	2/11/20 9:22				
Duration	1 hour 18 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/s				
Notes	<ul style="list-style-type: none"> - Block numbering restarted. - First minutes of data not recorded 				
Statistics	Calculated from 164 to 3753 seconds (n=35890).				
series	Min	max	mean	std	Unit
DISCHARGE	0.336	0.385	0.362	0.008	m ³ /s
WH_CREST	0.043	0.130	0.111	0.005	m
WH_UPPER	0.035	0.082	0.072	0.004	m
WH_LOWER	-0.317	0.068	0.057	0.004	m
WH_MOBILE	0.061	0.146	0.097	0.009	m
VXY_UPPER	0.01	5.07	1.75	0.85	m/s
VXY_MOBILE	0.01	5.06	2.53	0.79	m/s
VXY_LOWER	0.03	5.94	3.65	1.20	m/s



A.4 B-OF01: Block 2 (LF_24)


Start	2/11/20 9:29
Stop	2/11/20 10:20
Duration	51 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s
Notes	
Statistics	Calculated from 104 to 3020 seconds (n=29160).



A.5 B-OF01: Block 3

Start	2/11/20 10:30
Stop	2/11/20 11:30
Duration	60 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s
Notes	-
Statistics	Calculated from 166 to 3562 seconds (n=33962).


series	Min	max	mean	std	Unit
DISCHARGE	0.336	0.380	0.360	0.006	m³/s
WH_CREST	0.175	0.203	0.194	0.002	m
WH_UPPER	0.024	0.080	0.069	0.004	m
WH_LOWER	0.055	0.075	0.062	0.002	m
WH_MOBILE	0.077	0.163	0.106	0.010	m
VXY_UPPER	0.59	5.34	4.95	0.79	m/s
VXY_MOBILE	0.00	4.63	1.29	0.82	m/s
VXY_LOWER	0.75	5.26	3.31	1.03	m/s



A.6 B-OF01: Block 4


Start	2/11/20 11:35
Stop	2/11/20 12:39
Duration	1 hour 4 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s
Notes	-
Statistics	Calculated from 103 to 3304 seconds (n=37017).

series	Min	max	mean	std	Unit
DISCHARGE	0.332	0.379	0.360	0.007	m ³ /s
WH_CREST	0.182	0.192	0.186	0.001	m
WH_UPPER	0.030	0.086	0.075	0.005	m
WH_LOWER	0.054	0.073	0.061	0.002	m
WH_MOBILE	0.076	0.156	0.098	0.009	m
VXY_UPPER	0.49	5.32	4.36	1.26	m/s
VXY_MOBILE	0.01	4.84	1.78	0.97	m/s
VXY_LOWER	1.15	5.26	3.87	1.00	m/s




A.7 B-OF01: Block 5

Start	02/11/20 12:47				
Stop	02/11/20 13:49				
Duration	1 hour 2 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/s				
Notes	-				
Statistics	Calculated from 83 to 3660 seconds (n=35776).				
series	Min	max	mean	std	Unit
DISCHARGE	0.331	0.382	0.362	0.006	m ³ /s
WH_CREST	0.174	0.188	0.179	0.002	m
WH_UPPER	0.034	0.086	0.076	0.005	m
WH_LOWER	0.053	0.074	0.061	0.002	m
WH_MOBILE	0.077	0.148	0.095	0.008	m
VXY_UPPER	0.57	5.33	4.65	0.77	m/s
VXY_MOBILE	0.01	4.73	1.59	0.90	m/s
VXY_LOWER	3.26	5.27	4.99	0.47	m/s



A.8 B-OF01: Block 6 (wrongly numbered as 5)


Start	02/11/20 13:56				
Stop	02/11/20 14:58				
Duration	1 hour 2 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/s				
Notes	-				
Statistics	Calculated from 83 to 3612 seconds (n=35297).				
series	Min	max	mean	std	Unit
DISCHARGE	0.334	0.380	0.362	0.006	m ³ /s
WH_CREST	0.186	0.197	0.191	0.002	m
WH_UPPER	0.046	0.082	0.075	0.002	m
WH_LOWER	0.057	0.076	0.063	0.002	m
WH_MOBILE	0.076	0.134	0.096	0.007	m
VXY_UPPER	0.24	5.00	1.80	1.19	m/s
VXY_MOBILE	0.01	4.89	2.17	0.90	m/s
VXY_LOWER	0.06	5.27	4.95	0.96	m/s



A.9 B-OF01: Block 7


Start	02/11/20 15:06
Stop	02/11/20 16:06
Duration	60 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s
Notes	-
Statistics	Calculated from 138 to 3597 seconds (n=34593).

series	Min	max	mean	std	Unit
DISCHARGE	0.332	0.376	0.357	0.007	m³/s
WH_CREST	0.187	0.198	0.192	0.002	m
WH_UPPER	0.059	0.084	0.076	0.002	m
WH_LOWER	0.057	0.077	0.064	0.002	m
WH_MOBILE	-0.301	0.138	0.096	0.011	m
VXY_UPPER	0.64	3.28	1.91	0.56	m/s
VXY_MOBILE	0.01	4.98	2.09	0.96	m/s
VXY_LOWER	2.42	5.27	5.25	0.03	m/s



A.10 B-OF01: Block 8


Start	02/11/20 16:12				
Stop	02/11/20 17:10				
Duration	58 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/s				
Notes	-				
Statistics	Calculated from 124 to 3615 seconds (n=34914).				
series	Min	max	mean	std	Unit
DISCHARGE	0.328	0.370	0.352	0.006	m ³ /s
WH_CREST	0.181	0.193	0.187	0.001	m
WH_UPPER	0.059	0.080	0.070	0.002	m
WH_LOWER	0.060	0.079	0.067	0.002	m
WH_MOBILE	0.085	0.145	0.107	0.008	m
VXY_UPPER	0.40	1.54	0.71	0.09	m/s
VXY_MOBILE	0.01	5.21	2.21	1.03	m/s
VXY_LOWER	0.08	5.28	5.07	0.80	m/s



A.11 B-OF01: Block 9

Start	02/11/20 17:17
Stop	02/11/20 18:17
Duration	60 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s
Notes	-
Statistics	Calculated from 97 to 2865 seconds (n=27692).


series	Min	max	mean	std	Unit
DISCHARGE	0.326	0.372	0.354	0.006	m ³ /s
WH_CREST	0.180	0.192	0.186	0.002	m
WH_UPPER	0.076	0.092	0.084	0.002	m
WH_LOWER	0.059	0.077	0.065	0.002	m
WH_MOBILE	0.082	0.149	0.105	0.008	m
VXY_UPPER	0.74	1.92	1.33	0.21	m/s
VXY_MOBILE	0.01	4.40	1.14	0.71	m/s
VXY_LOWER	5.24	5.27	5.26	0.00	m/s



A.12 B-OF01: Block 10

Start	03/11/20 8:28
Stop	03/11/20 9:30
Duration	1 hour 2 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s
Notes	-
Statistics	Calculated from 69 to 3556 seconds (n=34879).


series	Min	max	mean	std	Unit
DISCHARGE	0.333	0.374	0.356	0.006	m ³ /s
WH_CREST	0.178	0.190	0.183	0.002	m
WH_UPPER	0.060	0.075	0.067	0.002	m
WH_LOWER	0.047	0.063	0.054	0.002	m
WH_MOBILE	0.085	0.142	0.106	0.008	m
VXY_UPPER	2.12	5.31	4.42	1.03	m/s
VXY_MOBILE	0.00	5.28	1.80	1.20	m/s
VXY_LOWER	0.35	5.28	5.10	0.45	m/s



A.13 B-OF01: Block 11

Start	03/11/20 9:34
Stop	03/11/20 10:34
Duration	60 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s
Notes	-
Statistics	Calculated from 65 to 3525 seconds (n=34597).

series	Min	max	mean	std	Unit
DISCHARGE	0.326	0.370	0.353	0.006	m ³ /s
WH_CREST	0.149	0.188	0.181	0.002	m
WH_UPPER	0.060	0.084	0.075	0.002	m
WH_LOWER	0.058	0.073	0.064	0.002	m
WH_MOBILE	0.084	0.144	0.105	0.008	m
VXY_UPPER	0.44	3.20	1.47	0.63	m/s
VXY_MOBILE	0.01	4.91	1.77	0.99	m/s
VXY_LOWER	0.01	5.27	2.16	1.66	m/s




A.14 B-OF01: Block 12

Start	03/11/20 10:49
Stop	03/11/20 11:50
Duration	1 hour
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s
Notes	-
Statistics	Calculated from 77 to 3797 seconds (n=37202).

series	Min	max	mean	std	Unit
DISCHARGE	0.327	0.371	0.356	0.006	m ³ /s
WH_CREST	0.181	0.191	0.186	0.001	m
WH_UPPER	0.062	0.089	0.077	0.002	m
WH_LOWER	0.058	0.079	0.065	0.002	m
WH_MOBILE	0.085	0.162	0.109	0.009	m
VXY_UPPER	3.10	5.30	4.13	0.44	m/s
VXY_MOBILE	0.01	4.64	1.64	0.89	m/s
VXY_LOWER	0.00	5.25	1.26	0.96	m/s


B_OF1_Q360_B12_LF_45



A.15 B-OF01: Block 13

Start	03/11/20 11:55
Stop	03/11/20 12:52
Duration	57 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s
Notes	Wrongly numbered as block 12
Statistics	Calculated from 82 to 3436 seconds (n=33549).

series	Min	max	mean	std	Unit
DISCHARGE	0.325	0.373	0.355	0.006	m ³ /s
WH_CREST	0.179	0.196	0.186	0.002	m
WH_UPPER	0.047	0.085	0.075	0.002	m
WH_LOWER	0.057	0.077	0.065	0.002	m
WH_MOBILE	0.085	0.187	0.110	0.011	m
VXY_UPPER	0.57	4.99	2.19	0.95	m/s
VXY_MOBILE	0.01	4.86	1.43	0.88	m/s
VXY_LOWER	0.10	5.28	3.30	1.68	m/s




A.16 B-OF01: Block 14

Start	03/11/20 13:02
Stop	03/11/20 14:02
Duration	1 hour
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s
Notes	-
Statistics	Calculated from 75 to 3498 seconds (n=34233).

series	Min	max	mean	std	Unit
DISCHARGE	0.325	0.368	0.352	0.005	m ³ /s
WH_CREST	0.162	0.197	0.190	0.002	m
WH_UPPER	0.059	0.083	0.073	0.002	m
WH_LOWER	0.056	0.080	0.063	0.002	m
WH_MOBILE	0.071	0.198	0.108	0.010	m
VXY_UPPER	0.41	1.33	0.69	0.08	m/s
VXY_MOBILE	0.01	5.09	2.64	0.97	m/s
VXY_LOWER	3.60	5.27	5.06	0.32	m/s


B_OF1_Q360_B14_LF_49



A.17 B-OF01: Block 15

Start	03/11/20 14:06
Stop	03/11/20 15:06
Duration	1 hour
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s
Notes	-
Statistics	Calculated from 77 to 3546 seconds (n=34692).


series	Min	max	mean	std	Unit
DISCHARGE	0.328	0.367	0.352	0.005	m ³ /s
WH_CREST	0.182	0.199	0.189	0.002	m
WH_UPPER	0.055	0.083	0.072	0.002	m
WH_LOWER	0.057	0.079	0.064	0.003	m
WH_MOBILE	0.086	0.161	0.112	0.010	m
VXY_UPPER	0.44	2.26	1.05	0.30	m/s
VXY_MOBILE	0.01	5.23	1.88	1.01	m/s
VXY_LOWER	0.09	5.27	3.87	1.67	m/s



A.18 B-OF01: Block 16

Start	03/11/20 15:17
Stop	03/11/20 16:16
Duration	59 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s
Notes	-
Statistics	Calculated from 55 to 3635 seconds (n=35796).


series	Min	max	mean	std	Unit
DISCHARGE	0.324	0.368	0.351	0.006	m ³ /s
WH_CREST	0.170	0.189	0.183	0.002	m
WH_UPPER	0.066	0.080	0.072	0.002	m
WH_LOWER	0.058	0.080	0.065	0.002	m
WH_MOBILE	0.088	0.147	0.109	0.008	m
VXY_UPPER	0.48	2.56	1.44	0.42	m/s
VXY_MOBILE	0.00	4.89	1.63	0.97	m/s
VXY_LOWER	0.11	5.27	5.16	0.47	m/s



A.19 B-OF01: Block 17

Start	03/11/20 16:18
Stop	03/11/20 17:18
Duration	1 hour
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/s
Notes	-
Statistics	Calculated from 49 to 3479 seconds (n=34298).

series	Min	max	mean	std	Unit
DISCHARGE	0.323	0.370	0.354	0.006	m ³ /s
WH_CREST	0.178	0.189	0.183	0.001	m
WH_UPPER	0.067	0.079	0.072	0.002	m
WH_LOWER	0.059	0.079	0.065	0.002	m
WH_MOBILE	0.081	0.150	0.106	0.008	m
VXY_UPPER	2.09	4.43	3.22	0.61	m/s
VXY_MOBILE	0.01	5.21	1.99	1.22	m/s
VXY_LOWER	3.20	5.28	4.85	0.63	m/s



Annex B - B-OF02 Short vegetation


The following timeseries details are reproduced in this section:

B.1 B-OF02: Block 1	23
B.2 B-OF02: Block 2	24
B.3 B-OF02: Block 3	25
B.4 B-OF02: Block 4	26
B.5 B-OF02: Block 5	27
B.6 B-OF02: Block 6	28
B.7 B-OF02: Block 7	29
B.8 B-OF02: Block 8	30
B.9 B-OF02: Block 9	31
B.10 B-OF02: Block 10	32
B.11 B-OF02: Block 11	33
B.12 B-OF02: Block 12	34
B.13 B-OF02: Block 13	35
B.14 B-OF02: Block 14	36
B.15 B-OF02: Block 15	37
B.16 B-OF02: Block 16	38
B.17 B-OF02: Block 17	39
B.18 B-OF02: Block 17 (bis)	40
B.19 B-OF02: Block 18	41
B.20 B-OF02: Block 19	42
B.21 B-OF02: Block 20	43
B.22 B-OF02: Block 20 bis	44

B.1 B-OF02: Block 1


Start - stop	5/11/2020 9:50				
Stop	5/11/2020 10:50				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	Not measured, nominal 360 L/s				
Notes	Crest height manually measured as 8.8 and 9.2 cm on L and R side.				
Statistics	Calculated from t=1180 to 3731 sec (n=25518).				
series	Min	max	mean	std	Unit
DISCHARGE	-	-	-	-	m ³ /s
WH_CREST	0,076	0,130	0,097	0,003	m
WH_UPPER	0,083	0,101	0,091	0,002	m
WH_MOBILE	0,066	0,078	0,071	0,001	m
WH_LOWER	-0,002	0,000	-0,001	0,000	m
VXY_UPPER	1,77	2,90	2,76	0,08	m/s
VXY_MOBILE	1,10	1,71	1,49	0,12	m/s
VXY_LOWER	2,36	3,08	2,78	0,08	m/s

B_OF2_Q360_B1_LF_59



B.2 B-OF02: Block 2


Start - stop	5/11/20 10:58				
Stop	5/11/20 11:58				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	335 L/s (measured), 360 L/s nominal				
Notes	Discharge measurement ok from 11:53.				
Statistics	Calculated from t=3195 to 3648 sec (n=4539).				
series	Min	max	mean	std	Unit
DISCHARGE	0,310	0,359	0,335	0,009	m ³ /s
WH_CREST	0,122	0,130	0,126	0,001	m
WH_UPPER	0,084	0,102	0,092	0,002	m
WH_MOBILE	0,070	0,080	0,075	0,001	m
WH_LOWER	0,14	0,19	0,17	0,01	m
VXY_UPPER	2,71	2,92	2,82	0,03	m/s
VXY_MOBILE	1,45	1,63	1,56	0,02	m/s
VXY_LOWER	2,47	3,01	2,75	0,08	m/s



B.3 B-OF02: Block 3


Start - stop	5/11/2020 12:13
Stop	5/11/2020 13:13
Duration	60 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	335 L/s (measured), 360 L/s nominal
Notes	
Statistics	Calculated from t=210 to 3734 sec (n=35238).

series	Min	max	mean	std	Unit
DISCHARGE	0,297	0,361	0,336	0,009	m ³ /s
WH_CREST	0,104	0,164	0,127	0,002	m
WH_UPPER	0,085	0,103	0,092	0,002	m
WH_MOBILE	0,069	0,082	0,075	0,002	m
WH_LOWER	0,09	0,21	0,17	0,01	m
VXY_UPPER	2,02	3,11	2,84	0,08	m/s
VXY_MOBILE	3,20	4,16	3,71	0,12	m/s
VXY_LOWER	2,39	3,04	2,72	0,09	m/s




B.4 B-OF02: Block 4

Start - stop	5/11/20 13:18				
Stop	5/11/20 14:18				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	335 L/s (measured), 360 L/s (nominal)				
Notes	-				
Statistics	Calculated from t=93 to 3590 sec (n=34969).				
series	Min	max	mean	std	Unit
DISCHARGE	0,291	0,357	0,335	0,009	m ³ /s
WH_CREST	0,106	0,172	0,123	0,002	m
WH_UPPER	0,077	0,096	0,086	0,002	m
WH_MOBILE	0,068	0,081	0,073	0,001	m
WH_LOWER	0,14	0,20	0,17	0,01	m
VXY_UPPER	2,27	3,06	2,87	0,04	m/s
VXY_MOBILE	2,99	4,41	3,71	0,12	m/s
VXY_LOWER	2,29	3,13	2,67	0,09	m/s




B.5 B-OF02: Block 5

Start - stop	5/11/20 14:33				
Stop	5/11/20 15:34				
Duration	61 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	337 L/s (measured), 360 L/s (nominal)				
Notes	-				
Statistics	Calculated from t=62 to 6575 sec (n=35126).				
series	Min	max	mean	std	Unit
DISCHARGE	0,292	0,460	0,337	0,017	m ³ /s
WH_CREST	0,101	0,166	0,126	0,002	m
WH_UPPER	0,081	0,102	0,091	0,003	m
WH_MOBILE	0,072	0,087	0,078	0,001	m
WH_LOWER	0,10	0,20	0,17	0,01	m
VXY_UPPER	2,52	3,10	2,88	0,05	m/s
VXY_MOBILE	3,05	4,23	3,73	0,11	m/s
VXY_LOWER	2,23	2,97	2,63	0,09	m/s




B.6 B-OF02: Block 6

Start - stop	5/11/20 15:40				
Stop	5/11/20 16:40				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	335 L/s (measured), 360 L/s nominal				
Notes	-				
Statistics	Calculated from t=248 to 3760 sec (n=35119).				
series	Min	max	mean	std	Unit
DISCHARGE	0,298	0,357	0,335	0,009	m ³ /s
WH_CREST	0,092	0,165	0,122	0,003	m
WH_UPPER	0,079	0,101	0,090	0,003	m
WH_MOBILE	0,073	0,084	0,078	0,001	m
WH_LOWER	0,09	0,20	0,17	0,01	m
VXY_UPPER	1,23	3,18	2,86	0,17	m/s
VXY_MOBILE	3,10	4,13	3,68	0,11	m/s
VXY_LOWER	2,33	3,03	2,66	0,09	m/s




B.7 B-OF02: Block 7

Start - stop	5/11/20 16:56				
Stop	5/11/20 17:56				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	332 L/s (measured), 360 L/s nominal				
Notes	- No velocity measurements				
Statistics	Calculated from t=85.7 to 3622.4 sec (n=35367).				
series	Min	max	mean	std	Unit
DISCHARGE	0,290	0,359	0,332	0,009	m ³ /s
WH_CREST	0,110	0,167	0,127	0,002	m
WH_UPPER	0,082	0,099	0,089	0,002	m
WH_MOBILE	0,070	0,085	0,078	0,002	m
WH_LOWER	0,144	0,212	0,179	0,010	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.8 B-OF02: Block 8

Start - stop	6/11/20 8:26				
Stop	6/11/20 9:26				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	334 L/s (measured)				
Notes	-				
Statistics	Calculated from t=232 to 3636 sec (n=340335).				
series	Min	max	mean	std	Unit
DISCHARGE	0,283	0,362	0,334	0,011	m ³ /s
WH_CREST	0,105	0,164	0,125	0,002	m
WH_UPPER	0,081	0,097	0,089	0,002	m
WH_MOBILE	0,073	0,088	0,079	0,002	m
WH_LOWER	0,137	0,201	0,168	0,010	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.9 B-OF02: Block 9

Start - stop	6/11/20 9:36				
Stop	6/11/20 10:36				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	333 L/s (measured)				
Notes	-				
Statistics	Calculated from t=96 to 3565 sec (n=34688).				
series	Min	max	Mean	std	Unit
DISCHARGE	0,279	0,360	0,333	0,009	m ³ /s
WH_CREST	0,118	0,141	0,123	0,001	m
WH_UPPER	0,088	0,107	0,097	0,002	m
WH_MOBILE	0,073	0,087	0,079	0,002	m
WH_LOWER	0,121	0,203	0,175	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.10 B-OF02: Block 10

Start - stop	6/11/20 10:41				
Stop	6/11/20 11:41				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	331 L/s (measured)				
Notes	-				
Statistics	Calculated from t=128 to 3641 sec (n=35134).				
series	Min	max	mean	std	Unit
DISCHARGE	0,294	0,361	0,331	0,009	m ³ /s
WH_CREST	0,115	0,168	0,120	0,002	m
WH_UPPER	0,085	0,105	0,094	0,002	m
WH_MOBILE	0,071	0,087	0,077	0,002	m
WH_LOWER	0,134	0,204	0,174	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.11 B-OF02: Block 11

Start - stop	6/11/20 11:52				
Stop	6/11/20 12:52				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	331 L/s (measured)				
Notes	-				
Statistics	Calculated from t=84 to 2339 sec (n=22539).				
series	Min	max	mean	std	Unit
DISCHARGE	0,287	0,353	0,331	0,009	m ³ /s
WH_CREST	0,098	0,168	0,122	0,002	m
WH_UPPER	0,084	0,102	0,091	0,002	m
WH_MOBILE	0,071	0,084	0,077	0,002	m
WH_LOWER	0,127	0,205	0,180	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.12 B-OF02: Block 12

Start - stop	6/11/20 13:00				
Stop	6/11/20 14:00				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	332 L/s				
Notes	-				
Statistics	Calculated from t=104 to 1572 sec (n=14672).				
series	Min	max	mean	std	Unit
DISCHARGE	0,291	0,354	0,332	0,010	m ³ /s
WH_CREST	0,098	0,158	0,123	0,003	m
WH_UPPER	0,080	0,096	0,087	0,002	m
WH_MOBILE	0,061	0,085	0,078	0,002	m
WH_LOWER	0,147	0,201	0,170	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.13 B-OF02: Block 13

Start - stop	6/11/20 14:44				
Stop	6/11/20 15:44				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	332 L/s				
Notes	-				
Statistics	Calculated from t=139 to 3633 sec (n=34943).				
series	Min	max	mean	std	Unit
DISCHARGE	0,287	0,360	0,332	0,009	m ³ /s
WH_CREST	0,119	0,129	0,124	0,001	m
WH_UPPER	0,087	0,105	0,095	0,002	m
WH_MOBILE	0,080	0,095	0,086	0,002	m
WH_LOWER	0,086	0,210	0,174	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.14 B-OF02: Block 14

Start - stop	6/11/20 15:49				
Stop	6/11/20 16:49				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	333 L/s (measured)				
Notes	-				
Statistics	Calculated from t=85 to 3593 sec (n=35079).				
series	Min	max	mean	std	Unit
DISCHARGE	0,285	0,358	0,333	0,009	m ³ /s
WH_CREST	0,101	0,164	0,122	0,003	m
WH_UPPER	0,086	0,104	0,094	0,003	m
WH_MOBILE	0,077	0,089	0,082	0,001	m
WH_LOWER	0,137	0,197	0,169	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.15 B-OF02: Block 15

Start - stop	6/11/20 16:56				
Stop	6/11/20 17:56				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	334 L/s (measured)				
Notes	-				
Statistics	Calculated from t=89 to 3595 sec (n=35062).				
series	Min	max	mean	std	Unit
DISCHARGE	0,287	0,428	0,334	0,013	m ³ /s
WH_CREST	0,089	0,160	0,122	0,002	m
WH_UPPER	0,082	0,102	0,091	0,002	m
WH_MOBILE	0,079	0,093	0,085	0,002	m
WH_LOWER	0,130	0,192	0,165	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.16 B-OF02: Block 16

Start - stop	7/11/20 8:51				
Stop	7/11/20 9:21				
Duration	30 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	334 L/s				
Notes	- Application of the artificial damage before the start of the run.				
Statistics	Calculated from t=96 to 1818 sec (n=17222).				
series	Min	max	mean	std	Unit
DISCHARGE	0,293	0,361	0,334	0,010	m ³ /s
WH_CREST	0,120	0,146	0,125	0,001	m
WH_UPPER	0,092	0,110	0,100	0,002	m
WH_MOBILE	0,076	0,091	0,082	0,002	m
WH_LOWER	0,145	0,200	0,172	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.17 B-OF02: Block 17

Start - stop	7/11/20 9:24				
Stop	7/11/20 9:55				
Duration	31 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	334 L/s				
Notes	-				
Statistics	Calculated from t=59 to 1793 sec (n=17348).				
series	Min	max	mean	std	Unit
DISCHARGE	0,296	0,359	0,334	0,009	m ³ /s
WH_CREST	0,116	0,125	0,120	0,001	m
WH_UPPER	0,078	0,095	0,085	0,002	m
WH_MOBILE	0,080	0,092	0,086	0,002	m
WH_LOWER	0,145	0,198	0,170	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.18 B-OF02: Block 17 (bis)

Start - stop	7/11/20 10:01				
Stop	7/11/20 11:04				
Duration	63 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	332 L/s (measured)				
Notes	-				
Statistics	Calculated from t=204 to 3876 sec (n=36718).				
series	Min	max	mean	std	Unit
DISCHARGE	0,294	0,362	0,332	0,009	m ³ /s
WH_CREST	0,096	0,169	0,122	0,003	m
WH_UPPER	0,084	0,103	0,092	0,002	m
WH_MOBILE	0,076	0,090	0,082	0,002	m
WH_LOWER	0,133	0,205	0,174	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.19 B-OF02: Block 18

Start - stop	7/11/20 11:13				
Stop	7/11/20 12:10				
Duration	57 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	331 L/s (measured), 360 L/s nominal				
Notes					
Statistics	Calculated from t=117 to 3450 sec (n=33332).				
series	Min	max	mean	std	Unit
DISCHARGE	0,291	0,356	0,331	0,009	m ³ /s
WH_CREST	0,118	0,175	0,123	0,003	m
WH_UPPER	0,078	0,097	0,086	0,002	m
WH_MOBILE	0,077	0,091	0,083	0,002	m
WH_LOWER	0,058	0,190	0,159	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.20 B-OF02: Block 19

Start - stop	7/11/20 12:18				
Stop	7/11/20 13:18				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	331 L/s				
Notes					
Statistics	Calculated from t=112 to 3627 sec (n=35156).				
series	Min	max	mean	std	Unit
DISCHARGE	0,287	0,355	0,331	0,009	m ³ /s
WH_CREST	0,117	0,158	0,121	0,001	m
WH_UPPER	0,085	0,105	0,094	0,002	m
WH_MOBILE	0,073	0,087	0,079	0,002	m
WH_LOWER	0,132	0,188	0,158	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




B.21 B-OF02: Block 20

Start - stop	7/11/20 13:51				
Stop	7/11/20 14:06				
Duration	15 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	333 L/s (measured)				
Notes	Cliff size increased to a height of 40 cm before run.				
Statistics	Calculated from t=64 to 898 sec (n=8338).				
series	Min	max	mean	std	Unit
DISCHARGE	0,306	0,356	0,333	0,008	m ³ /s
WH_CREST	0,119	0,150	0,124	0,002	m
WH_UPPER	0,088	0,105	0,096	0,002	m
WH_MOBILE	0,073	0,087	0,079	0,002	m
WH_LOWER	0,147	0,207	0,177	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s



B.22 B-OF02: Block 20 bis

Start - stop	7/11/20 14:17				
Stop	7/11/20 14:24				
Duration	7 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	331 L/s				
Notes	- End of experiment due to fast erosion in artificial damage				
Statistics	Calculated from t=87 to 468 sec (n=3809).				
series	Min	max	mean	std	Unit
DISCHARGE	0,307	0,349	0,331	0,009	m ³ /s
WH_CREST	0,120	0,159	0,124	0,003	m
WH_UPPER	0,082	0,099	0,090	0,002	m
WH_MOBILE	0,080	0,091	0,084	0,002	m
WH_LOWER	0,107	0,169	0,134	0,01	m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




Annex C - B-OF03 High Discharge

The following timeseries details are reproduced in this section:

C.1 B-OF03: Block 1	46
C.2 B-OF03: Block 2	47
C.3 B-OF03: Block 3	48
C.4 B-OF03: Block 4	49
C.5 B-OF03: Block 5	50
C.6 B-OF03: Block 6	51
C.7 B-OF03: Block 7	52
C.8 B-OF03: Block 8	53
C.9 B-OF03: Block 9	54
C.10 B-OF03: Block 10	55


C.1 B-OF03: Block 1

Start - stop	10/11/20 10:19				
Stop	10/11/20 11:19				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec				
Notes	<ul style="list-style-type: none"> - 1 m wide section! - No overhead cameras - Crest water level measured by hand: 21.6 cm. - VXY does not look reliable 				
Statistics	Calculated from t=104 to 2106sec (n=20017).				
series	Min	max	mean	std	Unit
DISCHARGE					m ³ /s
WH_CREST	0,217	0,228	0,222	0,002	m
WH_UPPER	0,082	0,113	0,105	0,002	m
WH_MOBILE	0,132	0,185	0,160	0,006	m
WH_LOWER	0,063	0,410	0,148	0,018	m
VXY_UPPER	0,28	0,66	0,49	0,04	m/s
VXY_MOBILE					m/s




C.2 B-OF03: Block 2

Start - stop	10/11/2020 11:34				
Stop	10/11/2020 12:34				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec				
Notes	<ul style="list-style-type: none"> - 1 m wide section! - No overhead cameras - Crest water level measured by hand: 20.1 cm. - VXY does not look reliable. 				
Statistics	Calculated from t=121 to 3636sec (n=35153).				
series	Min	max	mean	std	Unit
DISCHARGE					m ³ /s
WH_CREST	0,213	0,224	0,219	0,001	m
WH_UPPER	0,123	0,138	0,129	0,001	m
WH_MOBILE	0,134	0,188	0,160	0,006	m
WH_LOWER	0,274	0,416	0,373	0,019	m
VXY_UPPER	0,24	0,49	0,34	0,03	m/s
VXY_MOBILE					m/s




C.3 B-OF03: Block 3

Start - stop	10/11/20 12:46				
Stop	10/11/20 13:46				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec				
Notes	<ul style="list-style-type: none"> - 1 m wide section! - No overhead cameras - Crest water level measured by hand: 20.7 cm. - VXY reliability is questionable 				
Statistics	Calculated from t=130 to 3646sec (n=35154).				
series	Min	max	mean	std	Unit
DISCHARGE					m ³ /s
WH_CREST	0,216	0,228	0,222	0,002	m
WH_UPPER	0,119	0,127	0,123	0,001	m
WH_MOBILE	0,134	0,179	0,156	0,006	m
WH_LOWER	-0,020	0,428	0,142	0,027	m
VXY_UPPER	0,50	0,95	0,82	0,04	m/s
VXY_MOBILE					m/s



C.4 B-OF03: Block 4

Start - stop	10/11/20 13:59																																																
Stop	10/11/20 14:59																																																
Duration	60 minutes																																																
Pump	Twin parallel Hidrostal F10K-HD																																																
Discharge	360 L/sec																																																
Notes	<ul style="list-style-type: none"> - 1 m wide section! - No overhead cameras - Crest water level measured by hand: 20.7 cm. 																																																
Statistics	Calculated from t=136 to 3632 sec (n=34953).																																																
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">series</th> <th style="text-align: left;">Min</th> <th style="text-align: left;">max</th> <th style="text-align: left;">mean</th> <th style="text-align: left;">std</th> <th style="text-align: left;">Unit</th> </tr> </thead> <tbody> <tr> <td>DISCHARGE</td> <td></td> <td></td> <td></td> <td></td> <td>m³/s</td> </tr> <tr> <td>WH_CREST</td> <td>0,214</td> <td>0,226</td> <td>0,220</td> <td>0,001</td> <td>m</td> </tr> <tr> <td>WH_UPPER</td> <td>0,128</td> <td>0,136</td> <td>0,133</td> <td>0,001</td> <td>m</td> </tr> <tr> <td>WH_MOBILE</td> <td>0,131</td> <td>0,183</td> <td>0,153</td> <td>0,006</td> <td>m</td> </tr> <tr> <td>WH_LOWER</td> <td>-0,034</td> <td>0,363</td> <td>0,147</td> <td>0,025</td> <td>m</td> </tr> <tr> <td>VXY_UPPER</td> <td>0,67</td> <td>0,95</td> <td>0,83</td> <td>0,04</td> <td>m/s</td> </tr> <tr> <td>VXY_MOBILE</td> <td></td> <td></td> <td></td> <td></td> <td>m/s</td> </tr> </tbody> </table>		series	Min	max	mean	std	Unit	DISCHARGE					m ³ /s	WH_CREST	0,214	0,226	0,220	0,001	m	WH_UPPER	0,128	0,136	0,133	0,001	m	WH_MOBILE	0,131	0,183	0,153	0,006	m	WH_LOWER	-0,034	0,363	0,147	0,025	m	VXY_UPPER	0,67	0,95	0,83	0,04	m/s	VXY_MOBILE					m/s
series	Min	max	mean	std	Unit																																												
DISCHARGE					m ³ /s																																												
WH_CREST	0,214	0,226	0,220	0,001	m																																												
WH_UPPER	0,128	0,136	0,133	0,001	m																																												
WH_MOBILE	0,131	0,183	0,153	0,006	m																																												
WH_LOWER	-0,034	0,363	0,147	0,025	m																																												
VXY_UPPER	0,67	0,95	0,83	0,04	m/s																																												
VXY_MOBILE					m/s																																												




C.5 B-OF03: Block 5

Start - stop	10/11/20 15:09
Stop	10/11/20 16:08
Duration	59 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/sec
Notes	<ul style="list-style-type: none">- 1 m wide section!- No overhead cameras- Crest water level measured by hand: 20.3 cm.- No data acquisition due to power failure.
Statistics	


C.6 B-OF03: Block 6

Start - stop	11/10/20 16:16				
Stop	11/10/20 17:16				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec				
Notes	<ul style="list-style-type: none"> - 1 m wide section! - No overhead cameras - Crest water level measured by hand: 20.3 cm. - MOBILE current meter is situated on levee crest 				
Statistics	Calculated from t=1876 to 3620 sec (n=17439).				
series	Min	max	mean	std	Unit
WH_CREST	0,213	0,226	0,217	0,001	m
WH_UPPER	0,114	0,134	0,128	0,001	m
WH_MOBILE	0,144	0,198	0,164	0,006	m
WH_LOWER	0,023	0,174	0,129	0,022	m
VXY_MOBILE	1,471	1,674	1,608	0,036	m/s
VXY_UPPER	2,509	2,975	2,758	0,066	m/s



C.7 B-OF03: Block 7

Start - stop	11/11/20 8:11				
Stop	11/11/20 9:11				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec (340 L/s measured)				
Notes	<ul style="list-style-type: none"> - 1 m wide section! - No overhead cameras - Crest water level measured by hand: 20.7 cm. - MOBILE current meter is situated on levee crest 				
Statistics	Calculated from t=1126 to 3650 sec (n=25233).				
series	Min	max	mean	std	Unit
DISCHARGE	0,270	0,375	0,340	0,012	m ³ /s
WH_CREST	0,218	0,228	0,223	0,001	m
WH_UPPER	0,117	0,126	0,122	0,001	m
WH_MOBILE	0,126	0,184	0,153	0,007	m
WH_LOWER	-0,130	0,397	0,108	0,033	m
VXY_MOBILE	1,654	1,779	1,727	0,016	m/s
VXY_UPPER	2,497	2,973	2,776	0,059	m/s




C.8 B-OF03: Block 8

Start - stop	11/11/20 9:20
Stop	11/11/20 10:20
Duration	60 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	360 L/sec
Notes	<ul style="list-style-type: none"> - 1 m wide section! - No overhead cameras - Crest water level measured by hand: 20.7 cm. - MOBILE current meter is situated on levee crest - No digital data acquisition due to power failure.
Statistics	


C.9 B-OF03: Block 9

Start - stop	11/10/20 10:34				
Stop	11/10/20 11:38				
Duration	64 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec				
Notes	<ul style="list-style-type: none"> - 1 m wide section! - No overhead cameras - Crest water level measured by hand: 20.7 cm. - VXY_MOBILE placed on crest 				
Statistics	Calculated from t=70 to 3850 sec (n=37802).				
series	Min	max	mean	std	Unit
DISCHARGE	0,299	0,369	0,337	0,012	m ³ /s
WH_CREST	0,208	0,223	0,218	0,001	m
WH_UPPER	0,119	0,129	0,124	0,001	m
WH_MOBILE	0,140	0,202	0,172	0,007	m
WH_LOWER	0,202	0,788	0,496	0,057	m
VXY_MOBILE	1,644	1,753	1,701	0,015	m/s
VXY_UPPER	2,521	2,998	2,769	0,061	m/s



C.10 B-OF03: Block 10

Start - stop	11/10/20 11:39				
Stop	11/10/20 12:35				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec				
Notes	<ul style="list-style-type: none"> - 1 m wide section! - No overhead cameras - Crest water level measured by hand: 20.7 cm. - VXY_MOBILE placed on crest 				
Statistics	Calculated from t=6 to 2902sec (n=28961).				
series	Min	max	mean	std	Unit
DISCHARGE	0,298	0,372	0,335	0,012	m ³ /s
WH_CREST	0,213	0,223	0,218	0,001	m
WH_UPPER	0,119	0,129	0,125	0,001	m
WH_MOBILE	0,146	0,205	0,171	0,007	m
WH_LOWER	-0,187	0,394	0,084	0,082	m
VXY_MOBILE	0,032	1,762	1,519	0,508	m/s
VXY_UPPER	2,546	4,112	2,772	0,075	m/s




Annex D - B-OF04 Tree

The following timeseries details are reproduced in this section:

D.1 B-OF04: Block 1	57
D.2 B-OF04: Block 2	58
D.3 B-OF04: Block 3	59


D.1 B-OF04: Block 1

Start	16/11/20 10:20				
Stop	16/11/20 10:45				
Duration	25 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/s (nominal)				
Notes	<ul style="list-style-type: none"> - Presumably, no T0 image is taken - Water level at crest: 11.3 cm by manual measurement - Error in file name numbering (B20 is really B1) 				
Statistics	Calculated from t = 0 to 1368 seconds (n=13493).				
series	Min	max	mean	std	Unit
DISCHARGE					m ³ /s
WH_CREST	0.137	0.197	0.165	0.009	m
WH_UPPER	0.051	0.070	0.058	0.002	m
WH_LOWER	0.101	0.179	0.136	0.011	m
WH_MOBILE	0.114	0.171	0.150	0.007	m
VXY_UPPER	2.05	2.42	2.25	0.05	m/s
VXY_MOBILE	3.02	4.99	4.24	0.27	m/s
VXY_LOWER	1.86	2.54	2.24	0.09	m/s




D.2 B-OF04: Block 2

Start	16/11/20 11:08				
Stop	16/11/20 10:41				
Duration	35 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/s (nominal)				
Notes	- Water level at crest: 10.6 cm by manual measurement - Error in file name numbering (B21 is actually B2)				
Statistics	Calculated from 71 to 2128 seconds (n=20579).				
series	Min	max	mean	std	Unit
DISCHARGE					m^3/s
WH_CREST	0.137	0.205	0.164	0.009	m
WH_UPPER	0.051	0.070	0.058	0.002	m
WH_LOWER	0.091	0.172	0.123	0.010	m
WH_MOBILE	0.133	0.177	0.152	0.005	m
VXY_UPPER	2.07	2.43	2.25	0.05	m/s
VXY_MOBILE	3.05	5.00	4.15	0.29	m/s
VXY_LOWER	1.96	2.95	2.44	0.10	m/s



D.3 B-OF04: Block 3

Start	16/11/20 11:58				
Stop	16/11/20 12:05				
Duration	7 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/s (nominal); 327 L/s (measurement)				
Notes	- Error in file name numbering (B22 is actually B3)				
Statistics	Calculated from 381 to 426 seconds (n=448).				
series	Min	max	mean	std	Unit
DISCHARGE	0.321	0.331	0.327	0.002	m ³ /s
WH_CREST	0.139	0.188	0.162	0.011	m
WH_UPPER	0.047	0.057	0.052	0.002	m
WH_LOWER	0.095	0.144	0.115	0.009	m
WH_MOBILE	0.201	0.389	0.240	0.022	m
VXY_UPPER	2.14	2.40	2.28	0.05	m/s
VXY_MOBILE	2.93	4.67	4.07	0.33	m/s
VXY_LOWER	2.40	2.63	2.51	0.04	m/s




Annex E - B-OF05 Slope anomaly (cliff)

The following timeseries details are reproduced in this section:

E.1 B-OF05: Block 1	61
E.2 B-OF05: Block 2	62
E.3 B-OF05: Block 3	63
E.4 B-OF05: Block 4	64
E.5 B-OF05: Block 5	65
E.6 B-OF05: Block 6	66
E.7 B-OF05: Block 7	67
E.8 B-OF05: Block 8	68
E.9 B-OF05: Block 9	69
E.10 B-OF05: Block 10	70
E.11 B-OF05: Block 11	71
E.12 B-OF05: Block 12	72
E.13 B-OF05: Block 13	73
E.14 B-OF05: Block 14	74
E.15 B-OF05: Block 15	75
E.16 B-OF05: Block 16	76
E.17 B-OF05: Block 17	77


E.1 B-OF05: Block 1

Start	13/11/2020 8:26				
Stop	13/11/2020 9:17				
Duration	1 hour 2 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe				
Statistics	Calculated from t=1692 to 2865sec (n=11737).				
series	Min	max	mean	std	Unit
DISCHARGE	0.311	0.330	0.321	0.003	m ³ /s
WH_CREST	0.115	0.144	0.131	0.004	m
WH_UPPER	-0.056	0.105	0.078	0.017	m
WH_MOBILE	0.087	0.125	0.102	0.005	m
WH_LOWER	0.115	0.165	0.139	0.006	m
WH_MOBILE	0.11	4.04	2.15	0.61	m
VXY_UPPER	3.45	4.41	3.92	0.11	m/s
VXY_LOWER	3.39	3.95	3.69	0.07	m/s




E.2 B-OF05: Block 2

Start - stop	13/11/2020 9:23				
Stop	13/11/2020 10:25				
Duration	1 hour 2 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe				
Statistics	Calculated from t=105 to 3669 sec (n=35642).				
series	Min	max	mean	std	Unit
DISCHARGE	0.310	0.332	0.321	0.003	m ³ /s
WH_CREST	0.117	0.151	0.135	0.005	m
WH_UPPER	0.068	0.105	0.085	0.004	m
WH_MOBILE	0.078	0.127	0.101	0.006	m
WH_LOWER	0.095	0.163	0.138	0.006	m
WH_MOBILE	0.03	4.43	2.16	0.62	m
VXY_UPPER	3.39	4.31	3.93	0.09	m/s
VXY_LOWER	2.80	4.01	3.73	0.07	m/s




E.3 B-OF05: Block 3

Start - stop	13/11/2020 10:49				
Stop	13/11/2020 11:50				
Duration	1 hour 1 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe				
Statistics	Calculated from t=77 to 3625 sec (n=35475).				
series	Min	max	mean	std	Unit
DISCHARGE	0.310	0.332	0.322	0.003	m ³ /s
WH_CREST	0.114	0.151	0.135	0.005	m
WH_UPPER	0.071	0.104	0.086	0.004	m
WH_MOBILE	0.085	0.136	0.107	0.006	m
WH_LOWER	0.078	0.160	0.135	0.006	m
WH_MOBILE	0.04	4.40	2.38	0.57	m
VXY_UPPER	3.70	4.24	3.97	0.06	m/s
VXY_LOWER	2.59	3.99	3.73	0.15	m/s




E.4 B-OF05: Block 4

Start - stop	13/11/2020 11:55				
Stop	13/11/2020 12:55				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe				
Statistics	Calculated from t=127 to 3662 sec (n=35345).				
series	Min	max	mean	std	Unit
DISCHARGE	0.305	0.329	0.320	0.003	m ³ /s
WH_CREST	0.077	0.143	0.091	0.012	m
WH_UPPER	0.072	0.106	0.086	0.004	m
WH_MOBILE	0.083	0.128	0.104	0.006	m
WH_LOWER	0.098	0.163	0.138	0.006	m
WH_MOBILE	0.41	4.39	2.61	0.49	m
VXY_UPPER	3.59	4.17	3.94	0.06	m/s
VXY_LOWER	3.42	4.00	3.74	0.07	m/s




E.5 B-OF05: Block 5

Start - stop	13/11/2020 13:16				
Stop	13/11/2020 14:15				
Duration	59 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe				
Statistics	Calculated from t=77 to 3595 sec (n=35181).				
series	Min	max	mean	std	Unit
DISCHARGE	0.308	0.330	0.320	0.003	m ³ /s
WH_CREST	0.077	0.138	0.091	0.010	m
WH_UPPER	0.079	0.111	0.091	0.004	m
WH_MOBILE	0.086	0.132	0.107	0.006	m
WH_LOWER	0.110	0.169	0.140	0.006	m
WH_MOBILE	0.05	4.48	2.45	0.55	m
VXY_UPPER	3.65	4.14	3.95	0.06	m/s
VXY_LOWER	3.23	3.95	3.72	0.06	m/s




E.6 B-OF05: Block 6

Start - stop	13/11/2020 14:20				
Stop	13/11/2020 15:20				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe				
Statistics	Calculated from t=116 to 3653 sec (n=35370).				
series	Min	max	mean	std	Unit
DISCHARGE	0.308	0.329	0.319	0.003	m ³ /s
WH_CREST	0.107	0.147	0.125	0.005	m
WH_UPPER	0.075	0.109	0.090	0.004	m
WH_MOBILE	0.086	0.132	0.105	0.006	m
WH_LOWER	0.106	0.158	0.134	0.006	m
WH_MOBILE	0.06	4.40	2.51	0.58	m
VXY_UPPER	3.61	4.16	3.93	0.06	m/s
VXY_LOWER	2.89	3.93	3.70	0.07	m/s




E.7 B-OF05: Block 7

Start - stop	13/11/2020 15:40				
Stop	13/11/2020 16:40				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe				
Statistics	Calculated from t=105 to 3636 sec (n=35314).				
series	Min	max	mean	std	Unit
DISCHARGE	0.305	0.329	0.319	0.003	m ³ /s
WH_CREST	0.079	0.145	0.102	0.015	m
WH_UPPER	0.081	0.116	0.095	0.004	m
WH_MOBILE	0.086	0.134	0.107	0.006	m
WH_LOWER	0.110	0.160	0.134	0.006	m
WH_MOBILE	0.06	4.44	2.45	0.59	m
VXY_UPPER	3.57	4.16	3.92	0.06	m/s
VXY_LOWER	2.96	3.94	3.71	0.08	m/s




E.8 B-OF05: Block 8

Start - stop	13/11/2020 16:46				
Stop	13/11/2020 17:46				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe				
Statistics	Calculated from t=47 to 3556 sec (n=35084).				
series	Min	max	mean	std	Unit
DISCHARGE	0.309	0.328	0.319	0.003	m ³ /s
WH_CREST	0.081	0.133	0.091	0.004	m
WH_UPPER	0.080	0.115	0.095	0.004	m
WH_MOBILE	0.084	0.128	0.106	0.006	m
WH_LOWER	0.065	0.162	0.134	0.006	m
WH_MOBILE	0.09	4.51	2.44	0.56	m
VXY_UPPER	3.60	4.23	3.91	0.06	m/s
VXY_LOWER	3.48	3.96	3.74	0.06	m/s




E.9 B-OF05: Block 9

Start - stop	14/11/2020 8:18				
Stop	14/11/2020 9:19				
Duration	1 hour 1 minute				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe				
Statistics	Calculated from t=93 to 3663 sec (n=35702).				
series	Min	max	mean	std	Unit
DISCHARGE	0.311	0.334	0.322	0.003	m ³ /s
WH_CREST	0.079	0.135	0.092	0.004	m
WH_UPPER	0.072	0.106	0.088	0.004	m
WH_MOBILE	0.075	0.118	0.094	0.005	m
WH_LOWER	0.031	0.148	0.122	0.007	m
WH_MOBILE	0.03	4.33	2.35	0.58	m
VXY_UPPER	3.54	4.22	3.94	0.07	m/s
VXY_LOWER	3.41	3.92	3.68	0.06	m/s




E.10 B-OF05: Block 10

Start - stop	14/11/2020 9:24				
Stop	14/11/2020 10:24				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe - Valeport MOBILE has been moved to the crest (current meter).				
Statistics	Calculated from t=73 to 3594 sec (n=35212).				
series	Min	max	mean	std	Unit
DISCHARGE	0.307	0.328	0.318	0.003	m ³ /s
WH_CREST	0.078	0.118	0.090	0.004	m
WH_UPPER	0.029	0.114	0.091	0.004	m
WH_MOBILE	0.084	0.124	0.101	0.005	m
WH_LOWER	0.096	0.162	0.136	0.006	m
WH_MOBILE	0.05	4.23	2.23	0.62	m
VXY_UPPER	1.65	2.40	2.20	0.08	m/s
VXY_LOWER	3.42	3.91	3.67	0.07	m/s




E.11 B-OF05: Block 11

Start - stop	14/11/2020 10:34				
Stop	14/11/2020 11:34				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe - Valeport MOBILE has been moved to the crest (current meter).				
Statistics	Calculated from t=84 to 3614 sec (n=35297).				
series	Min	max	mean	std	Unit
DISCHARGE	0.304	0.328	0.317	0.003	m ³ /s
WH_CREST	0.061	0.070	0.065	0.001	m
WH_UPPER	0.059	0.114	0.092	0.004	m
WH_MOBILE	0.081	0.122	0.097	0.005	m
WH_LOWER	0.054	0.150	0.124	0.007	m
WH_MOBILE	2.31	3.08	2.68	0.07	m
VXY_UPPER	2.05	2.47	2.29	0.05	m/s
VXY_LOWER	3.40	3.94	3.66	0.06	m/s




E.12 B-OF05: Block 12

Start - stop	14/11/2020 10:34				
Stop	14/11/2020 11:34				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	<ul style="list-style-type: none"> - LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe - Filename erroneously contains "B11" instead of "B12" - Stop and go (pump not stopped at end of block) - VXY_MOBILE is situated on crest 				
Statistics	Calculated from t=3 to 3557 sec (n=35543).				
series	Min	max	mean	std	Unit
DISCHARGE	0.304	0.328	0.318	0.003	m ³ /s
WH_CREST	0.061	0.070	0.066	0.001	m
WH_UPPER	0.077	0.113	0.093	0.004	m
WH_MOBILE	0.080	0.123	0.097	0.005	m
WH_LOWER	0.103	0.168	0.133	0.006	m
WH_MOBILE	2.43	3.06	2.70	0.07	m
VXY_UPPER	2.11	2.50	2.30	0.05	m/s
VXY_LOWER	3.38	3.88	3.64	0.06	m/s




E.13 B-OF05: Block 13

Start - stop	14/11/2020 11:38				
Stop	14/11/2020 12:39				
Duration	1 hour 1 minute				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	-LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe - Stop and go (continuation from previous block) - VXY_MOBILE is situated on crest				
Statistics	Calculated from t=85 to 3594 sec (n=35085).				
series	Min	max	mean	std	Unit
DISCHARGE	0.305	0.327	0.316	0.003	m ³ /s
WH_CREST	0.059	0.154	0.077	0.019	m
WH_UPPER	-0.037	0.116	0.092	0.005	m
WH_MOBILE	0.064	0.120	0.097	0.006	m
WH_LOWER	0.103	0.172	0.145	0.007	m
WH_MOBILE	0.01	4.70	2.34	0.61	m
VXY_UPPER	0.87	2.42	2.22	0.12	m/s
VXY_LOWER	3.06	3.90	3.67	0.07	m/s




E.14 B-OF05: Block 14

Start - stop	14/11/2020 13:43				
Stop	14/11/2020 14:43				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe - VXY_MOBILE is situated on crest				
Statistics	Calculated from t=75 to 3618 sec (n=35434).				
series	Min	max	mean	std	Unit
DISCHARGE	0.302	0.325	0.316	0.003	m ³ /s
WH_CREST	0.088	0.149	0.099	0.006	m
WH_UPPER	0.013	0.115	0.093	0.007	m
WH_MOBILE	0.079	0.123	0.096	0.006	m
WH_LOWER	0.089	0.166	0.130	0.007	m
WH_MOBILE	2.35	3.02	2.70	0.07	m
VXY_UPPER	1.85	2.36	2.15	0.07	m/s
VXY_LOWER	3.33	3.82	3.58	0.06	m/s




E.15 B-OF05: Block 15

Start - stop	14/11/2020 14:57				
Stop	14/11/2020 15:57				
Duration	60 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe - VXY_MOBILE is situated on crest				
Statistics	Calculated from t=62 to 3619 sec (n=35563).				
series	Min	max	mean	std	Unit
DISCHARGE	0.305	0.327	0.316	0.003	m ³ /s
WH_CREST	0.082	0.114	0.089	0.003	m
WH_UPPER	0.027	0.112	0.093	0.005	m
WH_MOBILE	0.069	0.111	0.088	0.005	m
WH_LOWER	0.068	0.154	0.129	0.007	m
WH_MOBILE	2.42	3.01	2.75	0.06	m
VXY_UPPER	1.95	2.43	2.23	0.07	m/s
VXY_LOWER	2.75	3.80	3.57	0.06	m/s




E.16 B-OF05: Block 16

Start - stop	14/11/2020 16:01				
Stop	14/11/2020 17:02				
Duration	1 hour 1 minute				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe - VXY_MOBILE is situated on crest				
Statistics	Calculated from t=71 to 3660 sec (n=35894).				
series	Min	max	mean	std	Unit
DISCHARGE	0.304	0.326	0.316	0.003	m ³ /s
WH_CREST	0.079	0.097	0.085	0.002	m
WH_UPPER	0.040	0.109	0.089	0.006	m
WH_MOBILE	0.076	0.125	0.093	0.005	m
WH_LOWER	0.086	0.162	0.135	0.007	m
WH_MOBILE	2.48	3.08	2.75	0.06	m
VXY_UPPER	1.86	2.45	2.26	0.06	m/s
VXY_LOWER	3.36	3.82	3.57	0.06	m/s



E.17 B-OF05: Block 17

Start - stop	14/11/2020 17:08				
Stop	14/11/2020 18:05				
Duration	57 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	360 L/sec nominal				
Notes	- LOWER sensors (VXY and WH) are 4 m upward from the cliff, not from the toe - File erroneously named "B18" instead of "B17". - VXY_MOBILE is situated on crest				
Statistics	Calculated from t=96 to 3401 sec (n=33051).				
series	Min	max	mean	std	Unit
DISCHARGE	0.303	0.327	0.316	0.003	m ³ /s
WH_CREST	0.078	0.089	0.083	0.002	m
WH_UPPER	-0.016	0.107	0.083	0.008	m
WH_MOBILE	0.073	0.118	0.091	0.005	m
WH_LOWER	-0.409	0.159	0.128	0.056	m
WH_MOBILE	2.51	3.09	2.75	0.06	m
VXY_UPPER	1.99	2.46	2.27	0.06	m/s
VXY_LOWER	0.02	4.09	3.54	0.26	m/s




Annex F - B-OF06 Erosion patches

The following timeseries details are reproduced in this section:

F.1 B-OF06: Block 1	79
F.2 B-OF06: Block 2	80
F.3 B-OF06: Block 3	81
F.4 B-OF06: Block 4	82
F.5 B-OF06: Block 5	83
F.6 B-OF06: Block 6	84
F.7 B-OF06: Block 7	85
F.8 B-OF06: Block 8	86
F.9 B-OF06: Block 9	87
F.10 B-OF06: Block 10	88
F.11 B-OF06: Block 11	89
F.12 B-OF06: Block 12	90
F.13 B-OF06: Block 13	91
F.14 B-OF06: Block 14	92
F.15 B-OF06: Block 15	93
F.16 B-OF06: Block 17	94
F.17 B-OF06: Block 18	95
F.18 B-OF06: Block 19	96
F.19 B-OF06: Block 20	97


F.1 B-OF06: Block 1

Start - stop	19/02/2021 13:52				
Stop	19/02/2021 13:54				
Duration	2 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	Hidrostal I16K-HD				
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=101 to 144 sec (n=432).				
series	Min	max	mean	std	Unit
DISCHARGE	27	404	204	99	l/s
WH_CREST	-0,026	0,216	0,105	0,053	m
WH_UPPER	-0,014	0,177	0,064	0,043	m
WH_MOBILE	-0,006	0,088	0,017	0,018	m
WH_LOWER	0,041	0,290	0,220	0,062	m
VXY_UPPER	1,12	3,60	2,25	0,40	m/s
VXY_MOBILE	0,02	3,98	1,70	1,30	m/s
VXY_LOWER	0,05	2,18	0,66	0,49	m/s




F.2 B-OF06: Block 2

Start - stop	19/02/2021 14:17				
Stop	19/02/2021 14:48				
Duration	31 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=271 to 1837 sec (n=15661).				
series	Min	max	mean	std	Unit
DI_RVW_1	121	443	281	43	l/s
WH_CREST	0,067	0,322	0,183	0,025	m
WH_UPPER	-0,014	0,182	0,077	0,023	m
WH_MOBILE	0,01	0,15	0,08	0,01	m
WH_LOWER	0,156	0,296	0,207	0,015	m
VXY_UPPER	1,80	4,13	2,75	0,26	m/s
VXY_MOBILE	0,95	5,56	3,49	0,58	m/s
VXY_LOWER	0,08	1,40	0,41	0,16	m/s




F.3 B-OF06: Block 3

Start - stop	19/02/2021 15:01				
Stop	19/02/2021 16:02				
Duration	61 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=271 to 1837 sec (n=15661).				
series	Min	max	mean	std	Unit
DI_RVW_1	-42	513	288	64	l/s
WH_CREST	0,084	0,320	0,183	0,023	m
WH_UPPER	-0,032	0,204	0,080	0,022	m
WH_MOBILE	0,034	0,174	0,092	0,013	m
WH_LOWER	0,121	0,284	0,204	0,013	m
VXY_UPPER	0,07	4,26	2,76	0,31	m/s
VXY_MOBILE	0,12	5,79	3,28	0,67	m/s
VXY_LOWER	0,00	2,41	0,53	0,28	m/s




F.4 B-OF06: Block 4

Start - stop	19/02/2021 16:22				
Stop	19/02/2021 17:23				
Duration	61 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=2540 to 2889 sec (n=3488).				
series	Min	max	mean	std	Unit
DISCHARGE	-41	441	235	95	l/s
WH_CREST	0,120	0,260	0,185	0,020	m
WH_UPPER	0,020	0,180	0,081	0,020	m
WH_MOBILE	0,048	0,137	0,094	0,012	m
WH_LOWER	0,164	0,257	0,198	0,012	m
VXY_UPPER	1,71	3,67	2,74	0,29	m/s
VXY_MOBILE	0,71	5,20	3,25	0,71	m/s
VXY_LOWER	0,02	1,15	0,41	0,17	m/s




F.5 B-OF06: Block 5

Start - stop	20/02/2021 9:18				
Stop	20/02/2021 10:18				
Duration	60 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=695 to 2993 sec (n=22982).				
series	Min	max	mean	std	Unit
DISCHARGE	99	487	292	47	l/s
WH_CREST	0,095	0,301	0,186	0,020	m
WH_UPPER	-0,009	0,200	0,088	0,019	m
WH_MOBILE	0,055	0,176	0,099	0,013	m
WH_LOWER	0,157	0,277	0,200	0,012	m
VXY_UPPER	1,70	4,47	2,91	0,32	m/s
VXY_MOBILE	0,05	5,42	2,79	0,75	m/s
VXY_LOWER	0,01	2,69	0,61	0,32	m/s




F.6 B-OF06: Block 6

Start - stop	20/02/2021 10:31				
Stop	20/02/2021 11:32				
Duration	61 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=83 to 1510 sec (n=14280).				
series	Min	max	mean	std	Unit
DISCHARGE	123	505	305	46	l/s
WH_CREST	0,112	0,291	0,189	0,019	m
WH_UPPER	0,018	0,194	0,091	0,019	m
WH_MOBILE	0,027	0,171	0,097	0,013	m
WH_LOWER	0,152	0,273	0,198	0,012	m
VXY_UPPER	1,02	4,47	2,90	0,36	m/s
VXY_MOBILE	0,13	5,16	2,70	0,78	m/s
VXY_LOWER	0,00	2,07	0,52	0,26	m/s




F.7 B-OF06: Block 7

Start - stop	20/02/2021 11:47				
Stop	20/02/2021 13:02				
Duration	75 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=98 to 4328 sec (n=42307).				
series	Min	max	mean	std	Unit
DISCHARGE	-9	530	318	56	l/s
WH_CREST	0,049	0,305	0,189	0,021	m
WH_UPPER	-0,006	0,197	0,093	0,021	m
WH_MOBILE	0,014	0,192	0,095	0,013	m
WH_LOWER	0,099	0,271	0,196	0,012	m
VXY_UPPER	1,66	4,37	2,94	0,32	m/s
VXY_MOBILE	0,05	5,60	2,65	0,79	m/s
VXY_LOWER	0,02	2,95	1,06	0,40	m/s




F.8 B-OF06: Block 8

Start - stop	20/02/2021 13:19				
Stop	20/02/2021 14:20				
Duration	61 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=121 to 328 sec (n=2066).				
series	Min	max	mean	std	Unit
DISCHARGE	72	505	316	67	l/s
WH_CREST	0,127	0,291	0,190	0,022	m
WH_UPPER	0,023	0,181	0,091	0,021	m
WH_MOBILE	0,054	0,176	0,092	0,014	m
WH_LOWER	0,166	0,231	0,194	0,010	m
VXY_UPPER	1,59	3,92	2,92	0,32	m/s
VXY_MOBILE	0,01	4,74	2,47	0,83	m/s
VXY_LOWER	0,01	3,89	1,38	0,68	m/s




F.9 B-OF06: Block 9

Start - stop	20/02/2021 14:34				
Stop	20/02/2021 15:34				
Duration	60 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=215 to 401 sec (n=1859).				
series	Min	max	mean	std	Unit
DISCHARGE	-64	442	243	101	l/s
WH_CREST	0,128	0,269	0,187	0,019	m
WH_UPPER	-0,011	0,143	0,081	0,018	m
WH_MOBILE	0,052	0,146	0,090	0,013	m
WH_LOWER	0,152	0,236	0,191	0,011	m
VXY_UPPER	2,00	3,95	2,90	0,33	m/s
VXY_MOBILE	0,08	4,48	2,25	0,77	m/s
VXY_LOWER	0,04	3,73	1,36	0,69	m/s




F.10 B-OF06: Block 10

Start - stop	20/02/2021 15:50				
Stop	20/02/2021 16:52				
Duration	62 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=652 to 3566 sec (n=29145).				
series	Min	max	mean	std	Unit
DISCHARGE	-84	569	231	110	l/s
WH_CREST	0,095	0,290	0,186	0,019	m
WH_UPPER	-0,004	0,193	0,090	0,019	m
WH_MOBILE	0,036	0,177	0,094	0,013	m
WH_LOWER	0,136	0,262	0,187	0,011	m
VXY_UPPER	0,02	4,57	2,12	1,16	m/s
VXY_MOBILE	0,01	4,83	2,05	0,78	m/s
VXY_LOWER	0,01	4,04	1,36	0,69	m/s




F.11 B-OF06: Block 11

Start - stop	22/02/2021 8:40				
Stop	22/02/2021 10:39				
Duration	119 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=469 to 6987 sec (n=6987).				
series	Min	max	mean	std	Unit
DISCHARGE	-71	597	228	110	l/s
WH_CREST	0,023	0,306	0,189	0,022	m
WH_UPPER	-0,027	0,224	0,090	0,023	m
WH_MOBILE	0,028	0,168	0,091	0,014	m
WH_LOWER	0,132	0,268	0,195	0,013	m
VXY_UPPER	1,49	4,26	2,88	0,25	m/s
VXY_MOBILE	0,03	5,19	2,76	0,82	m/s
VXY_LOWER	0,01	5,04	1,94	0,92	m/s




F.12 B-OF06: Block 12

Start - stop	22/02/2021 10:55				
Stop	22/02/2021 12:55				
Duration	120 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=154 to 444 sec (n=2899).				
series	Min	max	mean	std	Unit
DISCHARGE	-30	446	242	96	l/s
WH_CREST	0,111	0,270	0,188	0,022	m
WH_UPPER	0,003	0,196	0,098	0,023	m
WH_MOBILE	0,051	0,160	0,098	0,014	m
WH_LOWER	0,158	0,270	0,200	0,013	m
VXY_UPPER	1,25	1,99	1,49	0,11	m/s
VXY_MOBILE	0,34	4,83	2,87	0,76	m/s
VXY_LOWER	0,15	4,39	2,12	0,71	m/s




F.13 B-OF06: Block 13

Start - stop	22/02/2021 13:13				
Stop	22/02/2021 14:15				
Duration	62 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=341 to 3687 sec (n=33469).				
series	Min	max	mean	std	Unit
DISCHARGE	55	646	398	85	l/s
WH_CREST	0,123	0,383	0,255	0,021	m
WH_UPPER	-0,015	0,223	0,105	0,019	m
WH_MOBILE	0,036	0,251	0,153	0,016	m
WH_LOWER	0,197	0,345	0,264	0,014	m
VXY_UPPER	1,98	4,38	2,75	0,19	m/s
VXY_MOBILE	2,19	5,65	4,28	0,33	m/s
VXY_LOWER	0,00	5,62	3,30	1,39	m/s




F.14 B-OF06: Block 14

Start - stop	22/02/2021 14:33				
Stop	22/02/2021 15:33				
Duration	60 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=105 to 3603 sec (n=34980).				
series	Min	max	mean	std	Unit
DISCHARGE	20	661	404	84	l/s
WH_CREST	0,127	0,387	0,262	0,020	m
WH_UPPER	0,013	0,237	0,109	0,018	m
WH_MOBILE	0,062	0,277	0,168	0,014	m
WH_LOWER	0,207	0,372	0,264	0,013	m
VXY_UPPER	1,53	3,90	2,74	0,18	m/s
VXY_MOBILE	0,01	5,84	3,98	1,14	m/s
VXY_LOWER	0,01	5,45	2,37	1,77	m/s




F.15 B-OF06: Block 15

Start - stop	22/02/2021 15:48				
Stop	22/02/2021 16:48				
Duration	60 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=128 to sec 1047 (n=9197).				
series	Min	max	mean	std	Unit
DISCHARGE	-34	492	275	86	l/s
WH_CREST	0,118	0,266	0,183	0,016	m
WH_UPPER	0,009	0,174	0,091	0,016	m
WH_MOBILE	0,078	0,192	0,126	0,013	m
WH_LOWER	0,150	0,235	0,194	0,010	m
VXY_UPPER	0,28	4,34	2,82	0,45	m/s
VXY_MOBILE	0,23	5,21	2,77	0,76	m/s
VXY_LOWER	0,01	3,89	1,14	0,83	m/s




F.16 B-OF06: Block 17

Start - stop	23/02/2021 7:55				
Stop	23/02/2021 8:24				
Duration	29 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=1429 to 1719 sec (n=2899).				
series	Min	max	mean	std	Unit
DISCHARGE	-72	428	245	75	l/s
WH_CREST	0,068	0,251	0,163	0,019	m
WH_UPPER	0,033	0,158	0,088	0,017	m
WH_MOBILE	0,088	0,221	0,134	0,015	m
WH_LOWER	0,148	0,225	0,188	0,010	m
VXY_UPPER	0,06	4,47	2,55	0,80	m/s
VXY_MOBILE	0,10	1,27	0,49	0,18	m/s
VXY_LOWER	0,10	1,22	0,48	0,15	m/s




F.17 B-OF06: Block 18

Start - stop	23/02/2021 8:25				
Stop	23/02/2021 8:56				
Duration	31 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=3 to 1790 sec (n=17873).				
series	Min	max	mean	std	Unit
DISCHARGE					l/s
WH_CREST	0,075	0,262	0,173	0,016	m
WH_UPPER	0,019	0,165	0,092	0,015	m
WH_MOBILE	0,067	0,194	0,132	0,013	m
WH_LOWER	0,128	0,228	0,181	0,010	m
VXY_UPPER	0,03	4,85	2,43	0,73	m/s
VXY_MOBILE	0,01	0,76	0,24	0,10	m/s
VXY_LOWER	0,04	0,80	0,27	0,10	m/s




F.18 B-OF06: Block 19

Start - stop	23/02/2021 9:04				
Stop	23/02/2021 10:01				
Duration	60 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=198 to 3582 sec (n=33839).				
series	Min	max	mean	std	Unit
DISCHARGE	-75	441	246	51	l/s
WH_CREST	-0,002	0,278	0,176	0,020	m
WH_UPPER	-0,019	0,204	0,096	0,019	m
WH_MOBILE	0,043	0,247	0,131	0,015	m
WH_LOWER	0,148	0,277	0,194	0,012	m
VXY_UPPER	0,01	4,86	2,78	0,64	m/s
VXY_MOBILE	0,07	1,83	0,52	0,20	m/s
VXY_LOWER	0,07	1,80	0,54	0,19	m/s



F.19 B-OF06: Block 20

Start - stop	23/02/2021 10:13				
Stop	23/02/2021 11:13				
Duration	60 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	WH_LOWER is situated on the levee CREST!				
Statistics	Calculated from t=144 to 1708 sec (n=15646).				
series	Min	max	mean	std	Unit
DISCHARGE	-54	437	248	58	l/s
WH_CREST	0,087	0,284	0,174	0,020	m
WH_UPPER	-0,023	0,185	0,093	0,020	m
WH_MOBILE	0,083	0,223	0,133	0,016	m
WH_LOWER	0,146	0,272	0,195	0,013	m
VXY_UPPER	0,06	4,70	2,76	0,68	m/s
VXY_MOBILE	0,04	1,81	0,54	0,19	m/s
VXY_LOWER	0,06	1,57	0,56	0,18	m/s




Annex G - B-OF07 Levee Challenge

The following timeseries details are reproduced in this section:

G.1 B-OF07b: Block 01	99
G.2 B-OF07b: Block 02	100
G.3 B-OF07b: Block 03	101
G.4 B-OF07b: Block 04	102
G.5 B-OF07b: Block 05	103
G.6 B-OF07b: Block 06	104
G.7 B-OF07a: Block 08	105
G.8 B-OF07a: Block 09	106
G.9 B-OF07a: Block 10	107
G.10 B-OF07a: Block 11	108
G.11 B-OF07a: Block 12	109
G.12 B-OF07a: Block 13	110


G.1 B-OF07b: Block 01

Start - stop	25/02/2021 8:35				
Stop	25/02/2021 9:00				
Duration	25 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	Inflow in section is uneven; upper sensors are not reliable.				
Statistics	Calculated from t=291 to 1455 sec (n=11641).				
series	Min	max	mean	std	Unit
DISCHARGE	163	443	307	37	l/s
WH_CREST	0,21	0,32	0,27	0,01	m
WH_UPPER	0,06	0,15	0,10	0,01	m
WH_MOBILE	-0,03	0,03	0,00	0,00	m
WH_LOWER	0,10	0,15	0,12	0,01	m
VXY_UPPER	0,99	2,42	1,64	0,23	m/s
VXY_MOBILE	0,44	2,21	1,02	0,23	m/s
VXY_LOWER	2,42	4,80	3,64	0,31	m/s



G.2 B-OF07b: Block 02

Start - stop	25/02/2021 9:06				
Stop	25/02/2021 9:38				
Duration	32 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	Inflow in section is uneven; upper sensors are not reliable.				
Statistics	Calculated from t=148 to 1789 sec (n=16413).				
series	Min	max	mean	std	Unit
DISCHARGE	51	621	409	90	l/s
WH_CREST	0,29	0,40	0,36	0,01	m
WH_UPPER	0,09	0,20	0,13	0,01	m
WH_MOBILE	-0,02	0,04	0,00	0,01	m
WH_LOWER	0,11	0,19	0,15	0,01	m
VXY_UPPER	0,59	2,78	1,31	0,45	m/s
VXY_MOBILE	0,29	2,28	0,93	0,22	m/s
VXY_LOWER	2,29	5,48	4,24	0,28	m/s




G.3 B-OF07b: Block 03

Start - stop	25/02/2021 9:44
Stop	25/02/2021 10:14
Duration	30 minutes
Pump	Hidrostal I16K-HD
Discharge	
Notes	Inflow in section is uneven; upper sensors are not reliable.
Statistics	Calculated from t=130 to 1832 sec (n=17015).

series	Min	max	mean	std	Unit
DISCHARGE	51	621	409	90	l/s
WH_CREST	0,29	0,40	0,36	0,01	m
WH_UPPER	0,09	0,20	0,13	0,01	m
WH_MOBILE	-0,02	0,04	0,00	0,01	m
WH_LOWER	0,11	0,19	0,15	0,01	m
VXY_UPPER	0,59	2,78	1,31	0,45	m/s
VXY_MOBILE	0,29	2,28	0,93	0,22	m/s
VXY_LOWER	2,29	5,48	4,24	0,28	m/s

B_OF7b_Q700_B3_LF_1079




G.4 B-OF07b: Block 04

Start - stop	21/02/2021 11:50
Stop	21/02/2021 12:20
Duration	30 minutes
Pump	Hidrostal I16K-HD
Discharge	
Notes	Inflow in section is uneven; upper sensors are not reliable.
Statistics	Calculated from t=485 to 1753 sec (n=12678).


series	Min	max	mean	std	Unit
DISCHARGE	-34	744	403	137	l/s
WH_CREST	0,37	0,48	0,42	0,01	m
WH_UPPER	0,12	0,24	0,16	0,01	m
WH_MOBILE	-0,02	0,06	0,00	0,01	m
WH_LOWER	0,15	0,24	0,18	0,01	m
VXY_UPPER	0,63	1,91	1,05	0,25	m/s
VXY_MOBILE	1,22	2,50	1,84	0,19	m/s
VXY_LOWER	3,13	5,04	4,12	0,27	m/s

B_OF7b_Q600_B4_LF_1081




G.5 B-OF07b: Block 05

Start - stop	25/02/2021 12:30				
Stop	25/02/2021 13:00				
Duration	30 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	Inflow in section is uneven; upper sensors are not reliable.				
Statistics	Calculated from t=85 to 1799 sec (n=17142).				
series	Min	max	mean	std	Unit
DISCHARGE	88	522	333	49	l/s
WH_CREST	0,22	0,34	0,27	0,01	m
WH_UPPER	0,07	0,19	0,11	0,01	m
WH_MOBILE	-0,02	0,06	0,01	0,01	m
WH_LOWER	0,08	0,15	0,10	0,01	m
VXY_UPPER	1,63	2,38	1,93	0,06	m/s
VXY_MOBILE	1,45	2,43	1,96	0,19	m/s
VXY_LOWER	3,22	5,15	4,21	0,23	m/s




G.6 B-OF07b: Block 06

Start - stop	25/02/2021 13:10				
Stop	25/02/2021 14:10				
Duration	60 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	Inflow in section is uneven; upper sensors are not reliable.				
Statistics	Calculated from t=1872 to 2349 sec (n=4768).				
series	Min	max	mean	std	Unit
DISCHARGE	-39	666	335	152	l/s
WH_CREST	0,36	0,49	0,42	0,01	m
WH_UPPER	0,06	0,24	0,16	0,01	m
WH_MOBILE	-0,03	0,05	0,01	0,01	m
WH_LOWER	0,15	0,22	0,18	0,01	m
VXY_UPPER	1,94	3,09	2,21	0,10	m/s
VXY_MOBILE	1,76	2,60	2,11	0,09	m/s
VXY_LOWER	3,58	5,00	4,18	0,21	m/s




G.7 B-OF07a: Block 08

Start - stop	26/02/2021 8:43				
Stop	26/02/2021 9:13				
Duration	30 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	Inflow in section is uneven; upper sensors are not reliable.				
Statistics	Calculated from t=109 to 1803 sec (n=16934).				
series	Min	max	mean	std	Unit
DISCHARGE	-14	510	355	36	l/s
WH_CREST	0,10	0,20	0,15	0,02	m
WH_UPPER	0,16	0,22	0,18	0,00	m
WH_MOBILE	-0,01	0,04	0,01	0,01	m
WH_LOWER	-0,01	0,25	0,03	0,03	m
VXY_UPPER	0,00	0,96	0,36	0,13	m/s
VXY_MOBILE	0,02	4,66	1,70	1,02	m/s
VXY_LOWER	0,01	0,58	0,12	0,09	m/s




G.8 B-OF07a: Block 09

Start - stop	26/02/2021 9:20				
Stop	26/02/2021 9:50				
Duration	30 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	Inflow in section is uneven; upper sensors are not reliable.				
Statistics	Calculated from t=96 to 1830 sec (n=17341).				
series	Min	max	mean	std	Unit
DISCHARGE	344	641	502	27	l/s
WH_CREST	0,15	0,39	0,33	0,02	m
WH_UPPER	0,22	0,27	0,24	0,01	m
WH_MOBILE	0,11	0,17	0,14	0,01	m
WH_LOWER	0,00	0,23	0,04	0,04	m
VXY_UPPER	0,59	2,68	1,65	0,30	m/s
VXY_MOBILE	0,83	5,41	4,10	0,44	m/s
VXY_LOWER	0,02	0,99	0,19	0,12	m/s




G.9 B-OF07a: Block 10

Start - stop	26/02/2021 9:57				
Stop	26/02/2021 10:27				
Duration	30 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	Inflow in section is uneven; upper sensors are not reliable.				
Statistics	Calculated from t=88 to 1839 sec (n=17510).				
series	Min	max	mean	std	Unit
DISCHARGE	352	771	591	39	l/s
WH_CREST	0,28	0,43	0,37	0,01	m
WH_UPPER	0,25	0,34	0,27	0,01	m
WH_MOBILE	0,12	0,20	0,15	0,01	m
WH_LOWER	0,00	0,27	0,05	0,05	m
VXY_UPPER	0,32	1,60	0,53	0,16	m/s
VXY_MOBILE	3,18	5,88	4,52	0,20	m/s
VXY_LOWER	0,01	1,32	0,23	0,16	m/s




G.10 B-OF07a: Block 11

Start - stop	26/02/2021 10:36				
Stop	26/02/2021 11:06				
Duration	30 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	Inflow in section is uneven; upper sensors are not reliable.				
Statistics	Calculated from t=84 to 1792 sec (n=17086).				
series	Min	max	mean	std	Unit
DISCHARGE	322	765	631	61	l/s
WH_CREST	0,32	0,46	0,39	0,01	m
WH_UPPER	0,27	0,33	0,29	0,01	m
WH_MOBILE	0,13	0,20	0,15	0,01	m
WH_LOWER	0,00	0,34	0,06	0,06	m
VXY_UPPER	0,59	1,56	0,85	0,09	m/s
VXY_MOBILE	4,06	5,38	4,70	0,15	m/s
VXY_LOWER	0,00	1,17	0,25	0,19	m/s




G.11 B-OF07a: Block 12

Start - stop	26/02/2021 11:16				
Stop	26/02/2021 11:46				
Duration	30 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	Inflow in section is uneven; upper sensors are not reliable.				
Statistics	Calculated from t=110 to 1834 sec (n=17245).				
series	Min	max	mean	std	Unit
DISCHARGE	201	427	313	26	l/s
WH_CREST	0,09	0,22	0,13	0,01	m
WH_UPPER	0,15	0,22	0,18	0,01	m
WH_MOBILE	0,10	0,16	0,12	0,01	m
WH_LOWER	-0,02	0,31	0,05	0,06	m
VXY_UPPER	0,53	1,59	0,69	0,07	m/s
VXY_MOBILE	0,01	4,39	1,38	0,70	m/s
VXY_LOWER	0,01	0,82	0,16	0,13	m/s



G.12 B-OF07a: Block 13

Start - stop	26/02/2021 11:58				
Stop	26/02/2021 12:58				
Duration	60 minutes				
Pump	Hidrostal I16K-HD				
Discharge					
Notes	Inflow in section is uneven; upper sensors are not reliable.				
Statistics	Calculated from t=97 to 3569 sec (n=34718).				
series	Min	max	mean	std	Unit
DISCHARGE	194	783	588	76	l/s
WH_CREST	-0,11	0,53	0,38	0,06	m
WH_UPPER	0,26	0,39	0,30	0,01	m
WH_MOBILE	0,13	0,24	0,16	0,01	m
WH_LOWER	-0,01	0,48	0,06	0,06	m
VXY_UPPER	0,27	2,06	0,64	0,18	m/s
VXY_MOBILE	2,75	6,14	4,39	0,19	m/s
VXY_LOWER	0,00	2,39	0,26	0,22	m/s




Annex H - B-OF08 Reference

The following timeseries details are reproduced in this section:

H.1 B-OF08: Block 01	112
H.2 B-OF08: Block 02	113
H.3 B-OF08: Block 03	114
H.4 B-OF08: Block 04	115
H.5 B-OF08: Block 05	116
H.6 B-OF08: Block 06	117
H.7 B-OF08: Block 11	118
H.8 B-OF08: Block 12	119
H.9 B-OF08: Block 13	120
H.10 B-OF08: Block 14	121
H.11 B-OF08: Block 15	122


H.1 B-OF08: Block 01

Start - stop	1/03/2021 14:14				
Stop	1/03/2021 15:14				
Duration	60 minutes				
Pump	Hidrostal I16K-HD				
Discharge	500				
Notes	16 cm water on crest (manual). VXY_MOBILE ON CREST!				
Statistics	Calculated from t=97 to 3569 sec (n=34718).				
series	Min	max	mean	std	Unit
DISCHARGE	68	663	415	78	l/s
WH_CREST	-0,008	0,387	0,220	0,035	m
WH_UPPER	-0,068	0,236	0,084	0,031	m
WH_MOBILE	0,024	0,214	0,115	0,019	m
WH_LOWER	-0,076	0,149	0,039	0,019	m
VXY_UPPER	0,04	4,30	2,23	0,98	m/s
VXY_MOBILE	1,58	3,53	2,24	0,22	m/s
VXY_LOWER	2,90	5,23	4,19	0,22	m/s




H.2 B-OF08: Block 02

Start - stop	01/03/2021 15:27				
Stop	01/03/2021 17:27				
Duration	120 minutes				
Pump	Hidrostal I16K-HD				
Discharge	500 L/s				
Notes	15.5 cm water on crest (manual). VXY_MOBILE ON CREST!				
Statistics	Calculated from t=97 to 3569 sec (n=34718).				
series	Min	max	mean	std	Unit
DISCHARGE	63	640	412	66	l/s
WH_CREST	-0,028	0,362	0,201	0,035	m
WH_UPPER	-0,085	0,273	0,102	0,034	m
WH_MOBILE	0,031	0,259	0,151	0,022	m
WH_LOWER	0,039	0,271	0,173	0,021	m
VXY_UPPER	2,25	4,69	3,30	0,23	m/s
VXY_MOBILE	1,64	3,72	2,38	0,23	m/s
VXY_LOWER	0,00	5,71	2,01	2,00	m/s




H.3 B-OF08: Block 03

Start - stop	02/03/2021 8:28				
Stop	02/03/2021 10:28				
Duration	120 minutes				
Pump	Hidrostal I16K-HD				
Discharge	500				
Notes	16 cm water on crest (manual). VXY_MOBILE ON CREST!				
Statistics	Calculated from t=97 to 3569 sec (n=34718).				
series	Min	max	mean	std	Unit
DISCHARGE	196	653	473	55	l/s
WH_CREST	0,089	0,233	0,143	0,011	m
WH_UPPER	0,035	0,190	0,079	0,012	m
WH_MOBILE	0,116	0,239	0,148	0,009	m
WH_LOWER	0,103	0,187	0,134	0,008	m
VXY_UPPER	2,91	3,96	3,19	0,10	m/s
VXY_MOBILE	1,93	3,18	2,27	0,13	m/s
VXY_LOWER	3,56	5,07	4,18	0,15	m/s




H.4 B-OF08: Block 04

Start - stop	02/03/2021 11:03				
Stop	02/03/2021 13:02				
Duration	15.5 minutes				
Pump	Hidrostal I16K-HD				
Discharge	500				
Notes	15.5 cm water on crest (manual). VXY_MOBILE ON CREST!				
Statistics	Calculated from t=97 to 3569 sec (n=34718).				
series	Min	max	mean	std	Unit
DISCHARGE	414	593	511	25	l/s
WH_CREST	0,124	0,152	0,139	0,003	m
WH_UPPER	0,078	0,096	0,086	0,002	m
WH_MOBILE	0,113	0,152	0,133	0,005	m
WH_LOWER	0,119	0,155	0,134	0,004	m
VXY_UPPER	3,02	3,39	3,22	0,05	m/s
VXY_MOBILE	1,35	2,44	1,92	0,14	m/s
VXY_LOWER	1,15	4,63	4,16	0,14	m/s




H.5 B-OF08: Block 05

Start - stop	02/03/2021 13:11				
Stop	02/03/2021 15:11				
Duration	120 minutes				
Pump	Hidrostal I16K-HD				
Discharge	500				
Notes	16 cm water on crest (manual). VXY_MOBILE ON CREST!				
Statistics	Calculated from t=97 to 3569 sec (n=34718).				
series	Min	max	mean	std	Unit
DISCHARGE	400	607	509	26	l/s
WH_CREST	0,126	0,153	0,140	0,003	m
WH_UPPER	0,070	0,087	0,076	0,001	m
WH_MOBILE	0,118	0,158	0,136	0,005	m
WH_LOWER	0,134	0,171	0,150	0,004	m
VXY_UPPER	2,96	3,42	3,24	0,05	m/s
VXY_MOBILE	1,44	2,52	2,00	0,13	m/s
VXY_LOWER	3,50	4,73	4,18	0,11	m/s



H.6 B-OF08: Block 06


Start - stop	02/03/2021 15:46				
Stop	02/03/2021 16:44				
Duration	58 minutes				
Pump	Hidrostal I16K-HD				
Discharge	500				
Notes	15.5 cm water on crest (manual). VXY_MOBILE ON CREST!				
Statistics	Calculated from t=97 to 3569 sec (n=34718).				
series	Min	max	mean	std	Unit
DISCHARGE	418	604	513	25	l/s
WH_CREST	0,126	0,150	0,138	0,003	m
WH_UPPER	-0,021	0,081	0,075	0,002	m
WH_MOBILE	0,111	0,154	0,133	0,005	m
WH_LOWER	0,123	0,163	0,141	0,004	m
VXY_UPPER	2,99	3,46	3,27	0,06	m/s
VXY_MOBILE	1,89	4,28	3,21	0,23	m/s
VXY_LOWER	3,67	4,63	4,19	0,11	m/s



H.7 B-OF08: Block 11


Start - stop	4/03/2021 8:33
Stop	4/03/2021 10:33
Duration	120 minutes
Pump	Hidrostal I16K-HD
Discharge	500 & 750
Notes	15 cm resp 20 cm water on crest (manual). VXY_MOBILE ON CREST!
Statistics	Calculated from t=97 to 3569 sec (n=34718).

series	Min	max	mean	std	Unit
DISCHARGE	395	606	500	27	l/s
WH_CREST	0,132	0,158	0,145	0,003	m
WH_UPPER	0,088	0,103	0,094	0,001	m
WH_MOBILE	0,119	0,165	0,137	0,005	m
WH_LOWER	0,121	0,162	0,137	0,005	m
VXY_UPPER	2,96	3,42	3,27	0,05	m/s
VXY_MOBILE	1,02	2,42	1,95	0,47	m/s
VXY_LOWER	3,46	4,87	4,17	0,16	m/s




H.8 B-OF08: Block 12

Start - stop	4/03/2021 11:54				
Stop	4/03/2021 13:54				
Duration	120 minutes				
Pump	Hidrostal I16K-HD				
Discharge	500-750-675-625-575-550-500-450-400-320-260-200-110-500				
Notes	VXY_MOBILE ON CREST!				
Statistics	Calculated from t=97 to 3569 sec (n=34718).				
series	Min	max	mean	std	Unit
DISCHARGE	351	569	497	29	l/s
WH_CREST	0,135	0,159	0,146	0,003	m
WH_UPPER	0,092	0,103	0,097	0,001	m
WH_MOBILE	0,130	0,163	0,145	0,005	m
WH_LOWER	0,087	0,124	0,103	0,005	m
VXY_UPPER	2,98	3,44	3,29	0,05	m/s
VXY_MOBILE	1,07	2,45	1,88	0,46	m/s
VXY_LOWER	2,93	4,70	4,13	0,20	m/s




H.9 B-OF08: Block 13

Start - stop	04/03/2021 14:39				
Stop	04/03/2021 15:05				
Duration	26 minutes				
Pump	Hidrostal I16K-HD				
Discharge	500				
Notes	17 cm water on crest. Obstacle positioned on slope! VXY_LOWER on crest.				
Statistics	Calculated from t=97 to 3569 sec (n=34718).				
series	Min	max	mean	std	Unit
DISCHARGE	351	508	416	25	l/s
WH_CREST	0,114	0,133	0,123	0,003	m
WH_UPPER	0,074	0,082	0,078	0,001	m
WH_MOBILE	0,129	0,159	0,145	0,005	m
WH_LOWER	-0,343	0,233	-0,141	0,092	m
VXY_UPPER	3,03	3,35	3,21	0,05	m/s
VXY_MOBILE	1,91	2,35	2,18	0,08	m/s
VXY_LOWER	0,01	1,53	0,66	0,34	m/s




H.10 B-OF08: Block 14

Start - stop	04/03/2021 15:14				
Stop	04/03/2021 16:14				
Duration	60 minutes				
Pump	Hidrostal I16K-HD				
Discharge	500 l/s				
Notes	17 cm water on crest. Obstacle positioned on slope! VXY_LOWER on crest.				
Statistics	Calculated from t=97 to 3569 sec (n=34718).				
series	Min	max	mean	std	Unit
DISCHARGE	393	589	502	26	l/s
WH_CREST	0,127	0,150	0,139	0,003	m
WH_UPPER	0,070	0,080	0,075	0,001	m
WH_MOBILE	0,126	0,164	0,142	0,005	m
WH_LOWER	-0,338	0,152	-0,167	0,061	m
VXY_UPPER	2,92	3,46	3,28	0,06	m/s
VXY_MOBILE	1,99	2,46	2,27	0,08	m/s
VXY_LOWER	0,00	1,89	0,69	0,34	m/s



H.11 B-OF08: Block 15

Start - stop	04/03/2021 16:24				
Stop	04/03/2021 17:24				
Duration	60 minutes				
Pump	Hidrostal I16K-HD				
Discharge	500 l/s				
Notes	17 cm water on crest. Obstacle positioned on slope! VXY_LOWER on crest.				
Statistics	Calculated from t=97 to 3569 sec (n=34718).				
series	Min	max	mean	std	Unit
DISCHARGE	400	573	500	25	l/s
WH_CREST	0,129	0,151	0,140	0,003	m
WH_UPPER	0,073	0,083	0,078	0,001	m
WH_MOBILE	0,141	0,176	0,156	0,005	m
WH_LOWER	-0,321	0,270	-0,145	0,068	m
VXY_UPPER	3,05	3,48	3,29	0,04	m/s
VXY_MOBILE	0,75	2,43	2,23	0,17	m/s
VXY_LOWER	0,00	2,08	0,77	0,36	m/s




Annex I - B-OF09 Reference (high discharge)

The following timeseries details are reproduced in this section:

I.1 B-OF09: Block 02	124
I.2 B-OF09: Block 03	125
I.3 B-OF09: Block 04	126
I.4 B-OF09: Block 05	127
I.5 B-OF09: Block 06	128
I.6 B-OF09: Block 07	129
I.7 B-OF09: Block 08	130
I.8 B-OF09: Block 09	131
I.9 B-OF09: Block 10	132
I.10 B-OF09: Block 11	133
I.11 B-OF09: Block 12	134

I.1 B-OF09: Block 02


Start - stop	06/03/2021 11:32				
Stop	06/03/2021 13:32				
Duration	120 minutes				
Pump	Hidrostal I16K-HD				
Discharge	750 l/s				
Notes	Note that the file for Block 01 was corrupt (2 hours at 750L/s)				
Statistics	Calculated from t=499 to 7477 sec (n=69779).				
series	Min	max	mean	std	Unit
DISCHARGE	633	842	746	30	l/s
WH_CREST	0,167	0,197	0,182	0,004	m
WH_UPPER	0,120	0,138	0,130	0,002	m
WH_MOBILE	0,183	0,230	0,201	0,004	m
WH_LOWER	0,143	0,208	0,173	0,008	m
VXY_UPPER	1,90	2,61	2,33	0,09	m/s
VXY_MOBILE	1,72	2,57	2,25	0,11	m/s
VXY_LOWER	3,22	4,40	3,87	0,14	m/s



I.2 B-OF09: Block 03


Start - stop	06/03/2021 13:48
Stop	06/03/2021 15:48
Duration	120 minutes
Pump	Hidrostal I16K-HD
Discharge	750 l/s
Notes	
Statistics	Calculated from t=189 to 7132 sec (n=69427).

series	Min	max	mean	std	Unit
DISCHARGE	609	851	746	31	l/s
WH_CREST	0,163	0,194	0,177	0,004	m
WH_UPPER	0,106	0,125	0,114	0,002	m
WH_MOBILE	0,186	0,221	0,201	0,004	m
WH_LOWER	0,144	0,209	0,176	0,008	m
VXY_UPPER	2,02	2,55	2,34	0,07	m/s
VXY_MOBILE	1,73	2,57	2,22	0,12	m/s
VXY_LOWER	3,37	4,45	3,92	0,13	m/s




I.3 B-OF09: Block 04

Start - stop	06/03/2021 16:11				
Stop	06/03/2021 17:11				
Duration	60 minutes				
Pump	Hidrostal I16K-HD				
Discharge	750 l/s				
Notes					
Statistics	Calculated from t=86 to 3612 sec (n=35266).				
series	Min	max	mean	std	Unit
DISCHARGE	635	878	753	31	l/s
WH_CREST	0,164	0,199	0,177	0,004	m
WH_UPPER	0,116	0,130	0,123	0,002	m
WH_MOBILE	0,188	0,221	0,203	0,004	m
WH_LOWER	0,155	0,221	0,185	0,008	m
VXY_UPPER	1,99	2,59	2,29	0,08	m/s
VXY_MOBILE	1,58	2,57	2,15	0,14	m/s
VXY_LOWER	3,04	4,40	3,91	0,13	m/s




I.4 B-OF09: Block 05

Start - stop	07/03/2021 11:40				
Stop	07/03/2021 12:22				
Duration	42 minutes				
Pump	Hidrostal I16K-HD				
Discharge	750 l/s				
Notes	Note that the file for Block 01 was corrupt (2 hours at 750L/s)				
Statistics	Calculated from t=172 to 2401 sec (n=22297).				
series	Min	max	mean	std	Unit
DISCHARGE	629	839	739	30	l/s
WH_CREST	0,165	0,193	0,177	0,004	m
WH_UPPER	0,117	0,133	0,124	0,002	m
WH_MOBILE	0,190	0,229	0,210	0,005	m
WH_LOWER	0,161	0,228	0,194	0,009	m
VXY_UPPER	1,98	2,52	2,28	0,07	m/s
VXY_MOBILE	1,74	2,58	2,20	0,12	m/s
VXY_LOWER	3,16	4,35	3,87	0,14	m/s



I.5 B-OF09: Block 06


Start - stop	07/03/2021 12:41
Stop	07/03/2021 13:59
Duration	78 minutes
Pump	Hidrostal I16K-HD
Discharge	750 l/s
Notes	
Statistics	Calculated from t=748 to 5305 sec (n=45568).



I.6 B-OF09: Block 07


Start - stop	07/03/2021 14:12
Stop	07/03/2021 16:12
Duration	120 minutes
Pump	Hidrostal I16K-HD
Discharge	750 l/s
Notes	
Statistics	Calculated from t=740 to 7683 sec (n=69423).

series	Min	Max	mean	std	Unit
DISCHARGE	365	865	741	38	l/s
WH_CREST	0,166	0,195	0,179	0,004	m
WH_UPPER	0,115	0,131	0,123	0,002	m
WH_MOBILE	0,184	0,219	0,201	0,004	m
WH_LOWER	0,162	0,229	0,192	0,008	m
VXY_UPPER	0,24	2,59	1,49	1,05	m/s
VXY_MOBILE	1,68	2,48	2,15	0,11	m/s
VXY_LOWER	3,67	4,68	4,17	0,12	m/s




I.7 B-OF09: Block 08

Start - stop	08/03/2021 8:13				
Stop	08/03/2021 10:13				
Duration	120 minutes				
Pump	Hidrostal I16K-HD				
Discharge	750 l/s				
Notes					
Statistics	Calculated from t=542 to 7145 sec (n=66035).				
series	Min	max	mean	std	Unit
DISCHARGE	621	838	742	30	l/s
WH_CREST	0,163	0,201	0,179	0,005	m
WH_UPPER	0,114	0,135	0,124	0,003	m
WH_MOBILE	0,190	0,233	0,210	0,004	m
WH_LOWER	0,152	0,219	0,187	0,008	m
VXY_UPPER	2,04	2,57	2,33	0,07	m/s
VXY_MOBILE	1,66	2,57	2,17	0,12	m/s
VXY_LOWER	3,64	4,63	4,17	0,12	m/s




I.8 B-OF09: Block 09

Start - stop	08/03/2021 10:42				
Stop	08/03/2021 12:49				
Duration	127 minutes				
Pump	Hidrostal I16K-HD				
Discharge	750 l/s				
Notes					
Statistics	Calculated from t=194 to 7614 sec (n=74206).				
series	Min	max	mean	std	Unit
DISCHARGE	610	865	742	31	l/s
WH_CREST	0,163	0,197	0,179	0,004	m
WH_UPPER	0,116	0,135	0,125	0,002	m
WH_MOBILE	0,186	0,224	0,203	0,004	m
WH_LOWER	0,157	0,227	0,188	0,008	m
VXY_UPPER	2,01	2,61	2,34	0,07	m/s
VXY_MOBILE	1,55	2,55	2,11	0,12	m/s
VXY_LOWER	0,21	4,59	1,68	1,86	m/s




I.9 B-OF09: Block 10

Start - stop	08/03/2021 13:26				
Stop	08/03/2021 14:26				
Duration	120 minutes				
Pump	Hidrostal I16K-HD				
Discharge	750 l/s				
Notes					
Statistics	Calculated from t=89 to 3611 sec (n=35220).				
series	Min	max	mean	std	Unit
DISCHARGE	614	857	743	32	l/s
WH_CREST	0,167	0,198	0,182	0,004	m
WH_UPPER	0,120	0,138	0,129	0,002	m
WH_MOBILE	0,186	0,217	0,200	0,004	m
WH_LOWER	0,157	0,229	0,188	0,008	m
VXY_UPPER	1,92	2,56	2,33	0,07	m/s
VXY_MOBILE	1,68	2,48	2,15	0,12	m/s
VXY_LOWER	3,71	4,65	4,21	0,12	m/s




I.10 B-OF09: Block 11

Start - stop	08/03/2021 14:56				
Stop	08/03/2021 15:57				
Duration	61 minutes				
Pump	Hidrostal I16K-HD				
Discharge	750 l/s				
Notes					
Statistics	Calculated from t=155 to 3670 sec (n=35146).				
series	Min	max	mean	std	Unit
DISCHARGE	644	862	749	30	l/s
WH_CREST	0,169	0,197	0,181	0,004	m
WH_UPPER	0,124	0,141	0,132	0,002	m
WH_MOBILE	0,191	0,223	0,205	0,004	m
WH_LOWER	0,153	0,217	0,185	0,008	m
VXY_UPPER	2,01	2,47	2,25	0,06	m/s
VXY_MOBILE	1,56	2,51	2,10	0,13	m/s
VXY_LOWER	3,69	4,65	4,23	0,12	m/s



I.11 B-OF09: Block 12

Start - stop	08/03/2021 16:10				
Stop	08/03/2021 17:10				
Duration	60 minutes				
Pump	Hidrostal I16K-HD				
Discharge	750 l/s				
Notes					
Statistics	Calculated from t=499 to 7477 sec (n=69779).				
series	Min	max	mean	std	Unit
DISCHARGE	643	845	751	31	l/s
WH_CREST	0,167	0,197	0,179	0,004	m
WH_UPPER	0,115	0,132	0,123	0,002	m
WH_MOBILE	0,186	0,217	0,199	0,004	m
WH_LOWER	0,157	0,223	0,186	0,008	m
VXY_UPPER	2,03	2,51	2,29	0,07	m/s
VXY_MOBILE	1,65	2,52	2,12	0,12	m/s
VXY_LOWER	3,19	4,65	4,21	0,12	m/s



Annex J - B-OF10 High Discharge


The following timeseries details are reproduced in this section:

J.1 B-OF10: Block 1	136
J.2 B-OF10: Block 2	137
J.3 B-OF10: Block 3	138
J.4 B-OF10: Block 5	139
J.5 B-OF10: Block 6	140
J.6 B-OF10: Block 7	141
J.7 B-OF10: Block 8	142
J.8 B-OF10: Block 11	143

Some files contained corrupt or very low quality data and have not been included in this overview.


J.1 B-OF10: Block 1

Start - stop	09/03/21 15:36				
Stop	09/03/21 16:30				
Duration	54 minutes				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	300 L/s				
Notes	- Several interruptions in pumping. - Manual crest water height measurement: 27 cm				
Statistics	Calculated from t=1713 to 3320 sec (n=16067).				
series	Min	max	mean	std	Unit
DISCHARGE	228	358	299	21	L/s
WH_CREST	0.259	0.322	0.266	0.003	m
WH_UPPER	0.104	0.124	0.115	0.002	m
WH_MOBILE	0.103	0.130	0.114	0.004	m
WH_LOWER	0.136	0.288	0.236	0.015	m
VXY_UPPER	0.85	3.78	2.18	0.28	m/s
VXY_MOBILE	0.46	4.03	1.29	1.08	m/s
VXY_LOWER	0.10	4.80	3.01	0.74	m/s




J.2 B-OF10: Block 2

Start - stop	09/03/21 16:53				
Stop	09/03/21 17:54				
Duration	1 hour 1 minute				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	540 L/s				
Notes	Manual crest water height measurement: 46 cm				
Statistics	Calculated from t=188 to 2177 sec (n=19888).				
series	Min	max	mean	std	Unit
DISCHARGE	442	633	541	27	m ³ /s
WH_CREST	0.377	0.434	0.417	0.007	m
WH_UPPER	-0.435	0.363	0.249	0.080	m
WH_MOBILE	0.154	0.190	0.168	0.005	m
WH_LOWER	0.152	0.318	0.261	0.020	m
VXY_UPPER	1.87	2.92	2.41	0.17	m/s
VXY_MOBILE	0.38	1.59	0.84	0.31	m/s
VXY_LOWER	1.79	4.89	3.70	0.38	m/s



J.3 B-OF10: Block 3


Start - stop	10/03/21 8:06				
Stop	10/03/21 8:16				
Duration	10 min				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	550 L/s (nominal)				
Notes	-				
Statistics	No statistics calculated				
series	Min	max	mean	std	Unit
DISCHARGE					m ³ /s
WH_CREST					m
WH_UPPER					m
WH_MOBILE					m
WH_LOWER					m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s



J.4 B-OF10: Block 5


Start - stop	10/03/21 10:49
Stop	10/03/21 11:40
Duration	51 minutes
Pump	Twin parallel Hidrostal F10K-HD
Discharge	540 L/s
Notes	Note : datafile of Block 4 missing. (1:54 of data)
Statistics	Calculated from t=300 to 465 sec (n=1645).

series	Min	max	mean	std	Unit
DISCHARGE	469	612	548	28	m ³ /s
WH_CREST	0.408	0.435	0.422	0.004	m
WH_UPPER	0.183	0.193	0.188	0.002	m
WH_MOBILE	0.153	0.183	0.165	0.005	m
WH_LOWER	-0.029	0.333	0.214	0.058	m
VXY_UPPER	2.78	3.39	3.24	0.07	m/s
VXY_MOBILE	1.41	1.58	1.50	0.03	m/s
VXY_LOWER	3.14	4.41	3.89	0.17	m/s




J.5 B-OF10: Block 6

Start - stop	10/03/21 12:10				
Stop	10/03/21 12:17				
Duration	7 min				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	540 L/s				
Notes	-				
Statistics	No statistics calculated				
series	Min	max	mean	std	Unit
DISCHARGE					m ³ /s
WH_CREST					m
WH_UPPER					m
WH_MOBILE					m
WH_LOWER					m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




J.6 B-OF10: Block 7

Start - stop	10/03/21 12:23				
Stop	10/03/21 12:29				
Duration	6 min				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	540 L/s				
Notes	-				
Statistics	No statistics calculated				
series	Min	max	mean	std	Unit
DISCHARGE					m ³ /s
WH_CREST					m
WH_UPPER					m
WH_MOBILE					m
WH_LOWER					m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s




J.7 B-OF10: Block 8

Start - stop	10/03/21 12:35				
Stop	10/03/21 12:42				
Duration	7 min				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	540 L/s				
Notes	- B09 and B10 exist, but no visualization is made (short blocks).				
Statistics	No statistics calculated				
series	Min	max	mean	std	Unit
DISCHARGE					m ³ /s
WH_CREST					m
WH_UPPER					m
WH_MOBILE					m
WH_LOWER					m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s



J.8 B-OF10: Block 11

Start - stop	10/03/21 14:03				
Stop	10/03/21 14:23				
Duration	20 min				
Pump	Twin parallel Hidrostal F10K-HD				
Discharge	Variable discharge (80 – 260 L/s)				
Notes	Start: 80 L/s; 14:08 -> 130 L/s; 14:13 -> 180 L/s; 14:16 -> 220 L/s; 14:19 -> 260 L/s				
Statistics	No statistics calculated.				
series	Min	max	mean	std	Unit
DISCHARGE					m ³ /s
WH_CREST					m
WH_UPPER					m
WH_MOBILE					m
WH_LOWER					m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s



Annex K - B-OF11 Tree

The following timeseries details are reproduced in this section:


K.1 B-OF11: Block 6	145
K.2 B-OF11: Block 7	146
K.3 B-OF11: Block 8	147
K.4 B-OF11: Block 9	148
K.5 B-OF11: Block 10	149
K.6 B-OF11: Block 11	150
K.7 B-OF11: Block 12	151
K.8 B-OF11: Block 13	152
K.9 B-OF11: Block 14	153
K.10 B-OF11: Block 15	154

K.1 B-OF11: Block 6

Start	17/02/2021 8:41
Stop	17/02/2021 10:41
Duration	2 hours
Pump	Eekels setup
Discharge	270 L/s
Notes	- Manually measured Hcrest = 10.3 cm
Statistics	Calculated from 36 to 7247 seconds (n=72112).


series	Min	max	mean	std	Unit
DISCHARGE					m^3/s
WH_CREST	-0.004	0.327	0.258	0.033	m
WH_UPPER	-0.022	0.094	0.039	0.007	m
WH_MOBILE	-0.015	0.101	0.060	0.009	m
WH_LOWER	-0.010	0.192	0.136	0.020	m
VXY_UPPER	0.01	4.48	2.64	0.57	m/s
VXY_MOBILE	0.00	4.15	1.15	0.62	m/s
VXY_LOWER	0.01	4.49	1.79	0.76	m/s

B_OF11_QXXX_B6_geen_1011




K.2 B-OF11: Block 7

Start	17/02/2021 11:10				
Stop	17/02/2021 13:10				
Duration	2 hours				
Pump	Eekels setup				
Discharge	370 L/s				
Notes	- Manually measured Hcrest 15.5 cm				
Statistics	Calculated from 140 to 7144 seconds (n=70041).				
series	Min	max	mean	std	Unit
DISCHARGE					m^3/s
WH_CREST	0.137	0.323	0.233	0.058	m
WH_UPPER	0.046	0.121	0.073	0.006	m
WH_MOBILE	0.094	0.145	0.112	0.005	m
WH_LOWER	0.123	0.198	0.160	0.008	m
VXY_UPPER	2.36	3.46	2.83	0.12	m/s
VXY_MOBILE	0.05	5.08	3.19	0.66	m/s
VXY_LOWER	0.01	4.85	2.07	0.77	m/s




K.3 B-OF11: Block 8

Start	17/02/2021 13:26				
Stop	17/02/2021 15:26				
Duration	2 hours				
Pump	Eekels setup				
Discharge					
Notes	Manually measured Hcrest 14 to 16 cm				
Statistics	Calculated from 148 to 7243seconds (n=70944).				
series	Min	max	mean	std	Unit
DISCHARGE	0.237	0.701	0.532	0.056	m ³ /s
WH_CREST	0.245	0.360	0.284	0.008	m
WH_UPPER	0.047	0.162	0.080	0.007	m
WH_MOBILE	0.100	0.161	0.118	0.006	m
WH_LOWER	0.152	0.228	0.184	0.008	m
VXY_UPPER	2.49	3.75	3.00	0.12	m/s
VXY_MOBILE	0.07	5.22	3.04	0.71	m/s
VXY_LOWER	0.01	4.88	1.87	0.76	m/s



K.4 B-OF11: Block 9

Start	17/02/2021 15:37				
Stop	(none: continued in Block 10 after software issue)				
Duration	(1h58m, including Block 10)				
Pump	Eekels setup				
Discharge					
Notes	- Flow was continued during the software interruption				
Statistics	Calculated from 142 to 2262 seconds (n=21193).				
series	Min	max	mean	std	Unit
DISCHARGE	0.318	0.745	0.546	0.054	m ³ /s
WH_CREST	0.266	0.326	0.287	0.007	m
WH_UPPER	0.056	0.149	0.075	0.007	m
WH_MOBILE	0.080	0.136	0.106	0.006	m
WH_LOWER	0.137	0.215	0.181	0.008	m
VXY_UPPER	0.55	3.91	3.05	0.19	m/s
VXY_MOBILE	0.16	5.07	3.06	0.68	m/s
VXY_LOWER	0.01	4.82	1.87	0.76	m/s




K.5 B-OF11: Block 10

Start	No data recorded, continuation of Block 9.				
Stop					
Duration					
Pump					
Discharge					
Notes	-				
Statistics					
series	Min	max	mean	std	Unit
DISCHARGE					m³/s
WH_CREST					m
WH_UPPER					m
WH_MOBILE					m
WH_LOWER					m
VXY_UPPER					m/s
VXY_MOBILE					m/s
VXY_LOWER					m/s

K.6 B-OF11: Block 11


Start	18/02/2021 8:33				
Stop	18/02/2021 10:34				
Duration	2h 01m				
Pump	Eekels setup				
Discharge	Approx. 430 L/s				
Notes	- Decrease of discharge for the last 10 minutes - Manually measured Hcrest: 15 cm				
Statistics	Calculated from 1095 to 6786 seconds (n=70944).				
series	Min	max	mean	std	Unit
DISCHARGE	0.340	0.728	0.582	0.045	m ³ /s
WH_CREST	0.256	0.340	0.290	0.008	m
WH_UPPER	0.047	0.153	0.075	0.007	m
WH_MOBILE	0.102	0.174	0.126	0.006	m
WH_LOWER	0.119	0.227	0.169	0.010	m
VXY_UPPER	2.38	3.95	3.02	0.13	m/s
VXY_MOBILE	0.42	5.59	3.32	0.64	m/s
VXY_LOWER	0.01	4.75	1.70	0.74	m/s



K.7 B-OF11: Block 12

Start	18/02/2021 10:59
Stop	18/02/2021 13:00
Duration	2h 01m
Pump	Eekels setup
Discharge	Approx. 500 L/s with variable episode
Notes	Manually measured 17.5 cm Hcrest during 500L/s discharge.
Statistics	Calculated from 540 to 2955 seconds (n=24151).


series	Min	max	mean	std	Unit
DISCHARGE	0.096	0.861	0.675	0.079	m ³ /s
WH_CREST	0.227	0.341	0.281	0.009	m
WH_UPPER	0.027	0.147	0.085	0.009	m
WH_MOBILE	0.031	0.178	0.128	0.009	m
WH_LOWER	0.101	0.204	0.166	0.008	m
VXY_UPPER	0.08	3.96	2.92	0.19	m/s
VXY_MOBILE	0.05	5.41	4.10	0.40	m/s
VXY_LOWER	0.17	4.89	3.50	0.44	m/s



K.8 B-OF11: Block 13

Start	18/02/2021 13:35
Stop	18/02/2021 14:06
Duration	31 minutes
Pump	Eekels 2
Discharge	Approx. 500 L/s
Notes	Manually measured 17.5 m Hcrest
Statistics	Calculated from 99 to 1925 seconds (n=70944).


series	Min	max	mean	std	Unit
DISCHARGE					m^3/s
WH_CREST	0.241	0.337	0.278	0.008	m
WH_UPPER	0.067	0.132	0.087	0.006	m
WH_MOBILE	0.101	0.153	0.120	0.005	m
WH_LOWER	0.144	0.214	0.179	0.009	m
VXY_UPPER	2.60	3.99	2.91	0.11	m/s
VXY_MOBILE	2.97	5.02	4.16	0.19	m/s
VXY_LOWER	0.05	4.51	2.99	1.17	m/s



K.9 B-OF11: Block 14

Start	18/02/2021 14:15
Stop	18/02/2021 14:45
Duration	30 minutes
Pump	Eekels setup
Discharge	500 L/s
Notes	Manually measured 17.5 Hcrest
Statistics	Calculated from 75 to 1795 seconds (n=17199).

series	Min	max	mean	std	Unit
DISCHARGE	0.271	0.635	0.500	0.048	m ³ /s
WH_CREST	0.219	0.278	0.249	0.008	m
WH_UPPER	0.061	0.094	0.085	0.002	m
WH_MOBILE	0.097	0.138	0.121	0.004	m
WH_LOWER	0.143	0.204	0.173	0.008	m
VXY_UPPER	2.52	3.18	2.89	0.06	m/s
VXY_MOBILE	2.40	4.90	4.12	0.15	m/s
VXY_LOWER	2.91	4.20	3.55	0.16	m/s



K.10 B-OF11: Block 15

Start	18/02/2021 14:55
Stop	18/02/2021 14:57
Duration	2 minutes
Pump	Eekels setup
Discharge	500 L/s
Notes	- Test stopped due to slope failure.
Statistics	Calculated from 90 to 174 seconds (n=839).

series	Min	max	mean	std	Unit
DISCHARGE	0.486	0.576	0.271	0.076	m ³ /s
WH_CREST	0.215	0.241	0.199	0.008	m
WH_UPPER	0.080	0.088	-0.001	0.012	m
WH_MOBILE	0.120	0.139	0.001	0.031	m
WH_LOWER	0.166	0.231	-0.002	0.067	m
VXY_UPPER	2.87	3.40	0.47	0.20	m/s
VXY_MOBILE	3.80	4.55	0.18	0.75	m/s
VXY_LOWER	2.88	4.57	0.07	1.27	m/s

